Software platform for analysis of data in the field of waste management

K V Epifancev^{1,*} and S A Solovev²

¹St. Petersburg State University of Aerospace Instrumentation, 190000, St. Petersburg, Russia, Bolshaya Morskaya Str. 67 A

²Institute of Digital Technologies and Economics, Kazan State Power Engineering University, Krasnoselskaja Str 51, Kazan, 420066, Russia

Abstract. This article is dedicated modern problem of soft poor in recycling in Russia. In our time we have a big problem with ecology and need automatization process of exchange waste. In first time it will be an account in which every people may be write information about own waste, which he wanted utilization. In net, another client matter may see this information and may be -it want buy these waste, for business, for example. So, we need analyzed all program, which take part in performance , Russian plants, because every day produced hundred tons of waste. About this soft, and another analogical program discussing in this article.

1 Introduction

This system will create activity in the waste market, which will involve processors. For this purpose, the research of thermal conductivity of RDF-raw materials of waste landfills in the laboratory of quality control of new functional materials GUAP and programming in Java Script virtual platform ECO 365. The global perspective of the project is the consolidation of the laboratory of new composite materials GUAP to create a waste processing Center with the main focus on research in the field of production and sale of biogas. Demand in the market is large. The used technologies of analytical and measuring instruments and programs of three-dimensional equipment will allow applying in parallel with the analysis of raw materials the possibility of developing equipment for the production of by-products from waste with their subsequent certification.

The main goal pursued when working in Javascript [1-2] is to get closer to a successfully working prototype in the Russian food market – the agro 24 platform, which implements the principle of a catalyst for the movement of perishable products. ECO-365 program-analogue in the field of storage, processing and sale of waste [1-3].

2 Materials and Methods

To manage the system of waste removal and disposal, 4 programs were allocated, working as a full-fledged ERP-system:

1) "RG-soft: waste Removal" - program designed for the analysis and monitoring of waste removal companies, analysis of the threshold of garbage limits, section accounting for waste disposal, As well as: accounting of recyclable materials, Accounting of own

coupons, accounting of third-party coupons, Environmental reporting, formation of documents, Accounting of payments from customers. As a drawback-the lack of environmental monitoring of the waste disposal area [3] (Figure 1);

Fig. 1. Screenshot of software «RG-Soft».

2) "RG-soft: waste Treatment and disposal " - offers possible forms of waste treatment, but in the absence of the proposed methods at the landfill, as appropriate, which occurs in most cases, does not offer options to sell waste to interested enterprises from other regions. In this case, of course, the carrier has no alternatives other than a simplified waste disposal procedure;

3) "Siemens umwelt" - creates the analysis of ecological tension in the course of work of production objects, at the stage of production of finished goods estimates the size of payments to the utilization organizations for placement and processing of waste (Figure 2);

* Corresponding author: epifancew@gmail.com

Fig. 2. Screenshot of software «Siemens umwelt».

4) "Recycle Map" - with the possibility of pop-up tips on the location of containers for disposal of batteries and incandescent lamps according to the user's geodata [4] (Figure 3);

Fig. 3. Screenshot of software «Recycle Map».

5) "1S: Enterprise 8. Waste and recycling management" - the configuration supports the main operational processes in the processing plants, such as the reception and shipment of solid waste (MSW) and recyclables, sorting, processing, transportation and disposal of waste. Integration with various equipment used in such enterprises (scales, cameras, access control systems, etc.) is envisaged;

6) "2GIS" - the program and the application allows the search module to determine the location of the organization receiving the waste closest to the location of the interested person (Figure 4).

Fig. 4. Screenshot of software «2Gis».

It is possible to conclude that the majority of IT applications are concentrated in the field of construction, engineering, mining industry and economy.

Of course, the main priorities of the Soft program are: dispatching; calculation salaries drivers; regulatory accounting of fuel. Accounting for the location of the bunkers; a record of the reception of solid waste and recyclables; accounting of weight and volume characteristics of solid waste and recyclable materials; setting circuits receiving and passing solid waste and recyclables; Accounting for certification and quality control of received and shipped MSW and recyclables; Management of electronic queue at the cash Desk receiving and recyclables; etc.

For comparison of the described programs in terms of quality, suitability for waste processing, an appropriate comparison was made in the table (Table 1)

Satellite monitoring of Citypoint, however, in our opinion, the program is not aimed at the company's recycling, but only at the disposal of waste, this is its significant drawback, which we seek to finalize in our ECO-365 program.

The result of the analysis can be concluded: recycling is a relatively young sphere of industry and therefore, as can be seen from the above programs in this area, there is a software it vacuum. The main principles that were used in the creation of ECO-365: "Federal waste classifier 2017-2018", GOST R 54096-2010 "Resource. Waste treatment"[5-6].

3 Results and Discussion

The JavaScript language was used as the writing of the application software. JavaScript is an object-oriented language, but the prototyping used in the language causes differences in working with objects compared to traditional class-oriented languages [7-9].

The program constantly monitors these waste databases, which allows you to request a certain type of waste, instantly receive information about the form of its processing and potential processors in your area.

In the study of the above programs, actively used for waste disposal in Russia and Europe, it can be concluded that the main rate in the writing and creation of the program is put on logistics, calculation of the cost of disposal, the simplest interface, the choice of landfill. We can say this about all programs equally, in addition to "Siemens umwelt". Indeed, in the "Siemens umwelt" the main task was not the speed of waste disposal and thus the solution of the problem through the clogging of the territory as far as possible from water bodies and residence, but also methods of processing. Siemens proposes to focus on the possibility of profit in the search for recycling technology, which would make it possible not only to get rid of waste, but also profitable to sell them to those who need them. It was from this position that the development began soft "ECO-365".

ECO-365 program-assistant in the field of storage, processing and sale of waste for the operator. The program systematized electronic information resources in the field of waste processing, developed in Java script

direct code, adapted to the current requirements of Rosprirodnadzor (Russian ecology department). The method of waste search is maximally adapted in the software interface and visually ergonomic for users. As a writing application software was used Java Script language, which is an object-oriented language. Prototyping used in the language causes differences in working with objects in comparison with traditional class-oriented languages.

The main fields of the program, which are automatically filled in when specifying any type of waste:

- FCCO code-11 digit classifier code
- Production – what type of industry waste is generated
- The process – what the process produces waste
- Name of components, content, % wt. - composition of waste
- Physical state and the physical form – the form in which the waste is transported
- Hazard class - to which class I to V the waste relates
- Note – the content of the additional organic impurities

The program in the form of an application is easily installed on the Windows XP platform and runs provided that the folder is a waste database in Excel format (new data). The database of Rosprirodnadzor, on which the "engine" of the program is based, is the most extensive and is presented in the form of spreadsheets on several sheets.

Beginning and ending program text in Java Script is presented below.

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;
using System.IO;
using Excel = Microsoft.Office.Interop.Excel;
namespace Waste
{
    public partial class MainForm : Form
    {
        System.Windows.Forms.Application.DoEvents();
    }
    private void MainForm_FormClosed(object sender,
        FormClosedEventArgs e)
    {
        if (objExcel != null) objExcel.Quit();
    }
}
```

Baseline code of "ECO-365"

The main requirements for the creation of the program were - the possibility of free installation on a personal computer, the ability to use the system how professional autodirectory.

Consider the interface of the program below. Schematically, the work of a software product developed

in the university's laboratory and patented in the program system for electronic computers can be seen in the diagram below (Figure 5).

Fig. 5. Screenshot of the program window for the assessment and distribution of waste ECO-365, create a match for the sawdust category».

4 Conclusions

The program module created on the basis of University laboratories ECO-365 it has been patented and is currently being tested.

Currently to admit that this module is only the 1st step in which you want to include and means of geolocation, messaging, opportunity management and creation of the personal account of each user in the environment, with the ability to share videos. It is also expected to broaden the base of the waste, as currently in the standard is not given a detailed description of possible recycling of each waste individually, are not defined a particular company or polygons for mechanical recycling, which have in the narrow direction of the recycling of a certain list of materials.

References

1. N. I. Lindenau, Eds. V.M. Maevskaya, V.F. Krylov, *Origin, Prevention, and Suppression of Spontaneous Fires in Coal Mines* (1977)
2. J. Yinlin, R. Ting, W. Peter, *Int. J. Mining Sci, Technol*, **26 (2)**, 199 (2016)
3. E. Furman, *Measurement of thermal conductivity on it-λ-400*, Educational-electronic text edition prepared at the Department of foundry and hardening technology (2005)
4. M. Fogus, *Functional JavaScript 2013 Introducing Functional Programming with Underscore*
5. Federal waste classifier 2017-2018 Rosprirodnadzor, 10-16 (2017)
6. GOST R 54096-2010 Resource. Waste treatment pp 1-6
7. Mineral Resources, Washington U.S. Government Printing Office 1 parts, **1-199**, 767 (2009)
8. European Standard EN 481, Determination of Conventions on a Fraction Part for Suspended

- Solids Measurement in the Workplace, German version, 2-8(1991)
9. K. Epifancev, A. Nikulin, S. Kovshov, I. Mozer, I. Brigadnov, American J. Mech. Eng. **1 (3)**, 73 (2013)
 10. K. Epifancev, Adv. Civil Engin. Technol, **1(2)**, 1 (2018)
 11. K. Epifancev, T. Mishura T, Open Access J. Sci, **2 (3)**, 208 (2018)
 12. N. C. Zakas, High Performance JavaScript (2010)