

Enhancing Climate Resilience through Integrative Approaches: A Synthesis of Indigenous and Scientific Knowledge Systems

Ricky Anak Kemarau^{1*}, Zaini Sakawi¹, Stanley Anak Suab², and Oliver Valentine Ebo³

¹ Earth Observation Centre, Institute of Climate Change, Universiti kebangsaan Malaysia, 43600 Bangi, Selangor Malaysia

² Graduate School of Environmental Science, Hokkaido University, Sapporo 060-0810, Japan.

³ Geography Program, Faculty Social Science and Humanities, University Malaysia Sabah, Jalan UMS, 88400 Kota Kinabalu, Sabah, Malaysia.

Abstract. Indigenous Knowledge (IK) systems offer valuable insights into local environmental patterns and climatic changes, yet they remain underutilized within formal scientific frameworks. This study synthesizes findings from integrative approaches combining IK with scientific knowledge to enhance climate resilience. Utilizing a review of literature sourced from Web of Science, Scopus, and Science Direct, the paper identifies key areas where IK significantly augments scientific understanding of climate phenomena. Findings suggest that hybrid knowledge systems improve the accuracy and acceptance of climate forecasts, empowering local communities and enhancing adaptive capacities. This synthesis underscores the need for creating inclusive frameworks that respect and integrate diverse knowledge systems for sustainable climate resilience.

1 Introduction

Climate Indigenous and local knowledge systems have played a critical role in predicting extreme weather events for centuries [1]. These systems, rooted in the observation of natural indicators such as animal behavior and plant phenology, have enabled communities to anticipate and prepare for climatic changes and disasters [2; 3]. Accumulated over generations, this empirical knowledge has equipped communities with effective strategies for natural resource management and environmental adaptation [1]. Indigenous Knowledge (IK) encompasses a cumulative body of knowledge, practices, and beliefs developed through long-term interactions with natural environments [1]. This knowledge includes traditional weather forecasting, ecological indicators, and adaptive strategies that are passed down orally and through cultural practices [4; 5] IK is inherently place-specific and deeply embedded within the cultural, linguistic, and ecological contexts of the communities that maintain it [6;7].

*Corresponding author: rickykemarau@ukm.edu.my

The significance of IK lies in its ability to offer context-specific insights and practical strategies for managing natural resources and adapting to environmental changes. It plays a crucial role in seasonal climate forecasting, disaster risk reduction, and sustainable agricultural practices [8]. IK enhances the effectiveness of climate information services by providing locally relevant and accessible forecasting information, which supports community resilience [9;10]. Integrating IK with scientific knowledge has the potential to improve the reliability and acceptability of climate predictions, thereby supporting informed decision-making and sustainable development [11]. Despite its recognized value, IK often remains marginalized in mainstream climate change adaptation efforts. There is a pressing need to systematically analyze and synthesize existing research to understand how IK contributes to the prediction and understanding of extreme climate events, emphasizing its importance in contemporary environmental management [12; 13]

This literature review aims to bridge the gap between indigenous and scientific knowledge systems, promoting a more integrated and holistic approach to climate adaptation. By systematically analyzing the contributions of IK to the prediction and understanding of extreme climate events, this review underscores the critical role of IK in enhancing community resilience and informing sustainable resource management practices [14; 15]. The guiding research question for this review is: "How have indigenous knowledge systems historically and currently contributed to the prediction and understanding of extreme climate events?" The primary objective is to systematically analyze and synthesize existing research on how IK contributes to the prediction and understanding of extreme climate events, with a focus on its practical applications in contemporary environmental management.

2 Method and Materials

To carry out a thorough literature review on Indigenous knowledge systems related to climate prediction, specific keywords and Boolean operators were employed (as shown in Table 1):

Table 1: Keywords and Boolean Operators Used in the Search

Keywords	Keywords Operator
Indigenous knowledge	("Indigenous knowledge" OR "traditional knowledge" OR "local knowledge" OR "traditional ecological knowledge")
Climate prediction	("climate prediction" OR "weather forecasting")
Extreme weather	("extreme weather" OR "climate events" OR "natural disasters")

Combination Search String Used in Databases:

("Indigenous knowledge" OR "traditional knowledge") AND ("climate prediction" OR "weather forecasting") AND ("extreme weather" OR "climate events" OR "natural disasters")

The identified keywords and Boolean operators were applied to these databases to find relevant studies. The search focused on peer-reviewed journal articles, conference papers, and theses published in English. Articles were included if they specifically discussed Indigenous knowledge systems in the context of climate prediction. Priority was given to articles published within the last 20 years to ensure the inclusion of the most current research

[15]. The search results yielded 3 papers from Web of Science, 12 from Scopus, and 135 from Science Direct (Figure 1). The next step was the screening process, where titles and abstracts were reviewed based on the inclusion criteria to identify relevant studies [15]. Articles that met the initial criteria underwent a full-text review to ensure they addressed key areas, based on the following five questions, with responses categorized as "Yes" or "No". This review process confirmed the relevance and quality of the selected studies [16]. Papers were classified as high quality (5 Yes answers), moderate quality (4 Yes answers), or low quality (3 Yes answers or below). A total of 90 papers were excluded during this step.




Fig 1: Flow chart methodology.

From the remaining papers, data were extracted on the Indigenous community studied, the type of climate event, the predictive knowledge used, outcomes, and any integration with modern systems [17;18] methodological rigor and credibility of the studies were assessed using a standardized tool specifically adapted for Indigenous knowledge research, ensuring the reliability and validity of the findings [10;18]. A total of 59 papers were selected for inclusion in this literature review, comprising both high-quality and moderate-quality studies. A thematic analysis was conducted to synthesize insights from the

selected studies, emphasizing the impact of integration on forecast accuracy and community preparedness.

3 Results and Discussions

Indigenous communities across various regions have long relied on observing animal behavior as a critical method for predicting weather patterns and extreme climate events (Figure 2).




Fig 2: Indigenous Weather Prediction Methods.

Indigenous communities worldwide rely on animal behavior to forecast weather patterns and extreme climate events. For example, in Fiji, Vietnam, and the Philippines, sea birds flying inland or wasps building nests low signal an approaching cyclone, prompting communities to secure homes and stockpile resources [6]. Similarly, in Zimbabwe, early bird migrations or restless livestock predict droughts, guiding farmers to conserve water and adjust planting schedules [7]. In Bangladesh, ants move eggs to higher ground and frogs frequently forewarn heavy rainfall or cyclones, prompting pre-emptive action to protect homes and crops [5]. In the Rwenzori region of Uganda, ants moving eggs or dragonflies flying low indicate the rainy season's onset, leading to preparations like planting and securing water resources [8]. The Badeng in East Malaysia interprets unusual animal activities as weather shifts, allowing them to adapt their agricultural practices [5].

In Zimbabwe, bird calls and livestock behavior help predict the rainy season or droughts, encouraging farmers to plant resilient crops and prepare livestock shelters [19]. Similar practices are observed in Bangladesh and Limpopo, South Africa, where ants, birds, and livestock behavior are used to predict rainfall and drought [17]. In Ethiopia and Brazil, observing bird migration and livestock behavior signals seasonal changes, aiding communities in water conservation and crop management [14]. In Kenya and South Africa, unusual bird and insect behavior warns of storms and rainfall, prompting agricultural and structural preparations [21].

Plant phenology also plays a crucial role in Indigenous climate prediction. In Zimbabwe, early flowering signals the rainy season, guiding crop selection and water conservation [7]. In the Indian Sundarbans, flowering patterns and animal behavior predict floods, leading to flood-prevention measures [4]. In Uganda's Rwenzori region, early leaf shedding forecasts drought, prompting water storage efforts [8]. The Badeng in Malaysia observes off-season flowering as a sign of unusual weather, adjusting agricultural activities

accordingly [22]. Similar practices are observed in Ghana, where flowering patterns help anticipate floods and rainy seasons [23].

Celestial observations also aid Indigenous weather prediction. In Zimbabwe, the moon’s brightness and star positions signal drought or rainfall, guiding farmers’ decisions [7]. Ugandan communities similarly use star alignments to predict the weather, enabling agricultural preparations [8]. In China and South Africa, communities use the moon phases and stars to forecast floods and extreme weather [9]. These celestial cues are widely used across Brazil, Kenya, West Africa, and Bangladesh to predict seasonal shifts, allowing communities to adjust their farming and water management practices [20; 21] Indigenous peoples also observe atmospheric and oceanic patterns. In the Sundarbans and Uganda’s Rwenzori region, cloud formations and wind shifts indicate storms or floods, prompting defensive actions [4; 8]. In Zimbabwe, changes in wind and cloud patterns mark the start of the rainy season, guiding agricultural preparations [19] as explained in Table 2.

Table 2: Key reference preparation action and validation/accuracy of the prediction method

Author	Region/ Community	Prediction Method	Extreme Weather	Preparation Actions	Validation/Accuracy
[6]	Fiji, Philippines, Vietnam	Animal behavior (sea birds, wasps, spiritual signs)	Cyclones, Typhoons	Secure homes, stockpile food, activate emergency plans	Integrated with modern climate adaptation programs (Fiji)
[7]	Zimbabwe	Animal behavior (birds, livestock), plant phenology	Drought, Rainy season	Adjust planting schedules, conserve water, select drought- resistant crops	Combined with scientific forecasts (Matobo, Mbire Districts)
[5]	Bangladesh	Ant behavior, frog calls, bird movements	Rain, Cyclones	Reinforce homes, adjust planting schedules, protect livestock	Success in Cyclone Jawab Prediction Via Hybrid Forecasting
[8]	Uganda (Rwenzori Region)	Ant, dragonfly behavior, cloud formations	Rainy season	Prepare fields, secure water resources, adjust planting schedules	Integrated with community knowledge and scientific data
[4]	India (Sundarbans)	Plant phenology, animal behavior	Floods, Heavy rains	Strengthen homes, create barriers,	Enhanced resilience with combined IK and meteorological data

				prepare emergency supplies	
[22]	East Malaysia (Badeng)	Forest animal behavior	Unusual weather patterns	Adjust agricultural activities, prepare homes	Traditional methods validated by community resilience
[19]	Zimbabwe (Chiredzi District)	Bird calls, tree sprouting, cloud patterns	Storms, Rainy season	Adjust crop variety, reinforce structures	High accuracy through combined IK and local meteorological systems
[24]	Vietnam (Bac Kan)	Animal behavior (frogs, birds), cloud patterns	Rain, Windstorms, Floods	Adjust planting, strengthen homes, ensure water storage	Integrates traditional forecasting with modern irrigation systems
[17]	Bangladesh	Bird, frog behavior, celestial observations	Floods, Rain	Adjust agricultural practices, protect against floods	Successful hybrid forecast system implementation
[21]	Kenya, South Africa	Bird behavior, celestial observations	Rainfall, Extreme weather	Reinforce homes, adjust planting schedules, protect livestock	High reliability integrating IK with scientific forecasts

One of the most prominent trends in these case studies is the increasing integration of Indigenous Knowledge with modern meteorological data and climate adaptation strategies. This combined approach has not only enhanced the accuracy of weather predictions but also improved community preparedness and resilience [15]. As demonstrated in Bangladesh during Cyclone Jawab [5] and in Zimbabwe [7], the integration of IK and modern scientific data has led to more accurate and trusted predictions. Communities using both systems could take timely actions to reinforce homes, adjust planting schedules, and protect food supplies, which significantly mitigated the impacts of extreme weather. A notable pattern is the documentation of IK and the formalization of these systems into broader climate adaptation strategies. In some regions, like Zimbabwe [19] and the Pacific Islands [17], there has been a growing effort to combine local knowledge databases with scientific forecasts to increase community resilience to climate change.

Preparation for extreme weather events in Indigenous communities is closely tied to the predictions made using local knowledge (Table 2). A key pattern is that preparations are often region-specific, based on the local environmental context, types of extreme weather expected, and the resources available to the community. Farmers in regions like Zimbabwe and Vietnam adjust their planting schedules, conserve water, or select drought-resistant crops in response to the predicted weather conditions. These agricultural adjustments are critical in

mitigating the effects of extreme weather on food security. For instance, when drought is predicted, planting resilient crops and conserving water are immediate actions taken [7; 21]. Reinforcing homes, preparing shelters, and securing livestock are common forms of preparation when cyclones, storms, or floods are predicted. Communities in Fiji, the Philippines [22], and East Malaysia [25; 26] frequently rely on these strategies to protect both human life and property during extreme events. Water conservation measures are frequently employed in regions prone to drought, such as Zimbabwe, Bangladesh, and Kenya. Whether it involves creating small-scale irrigation systems or collecting rainwater, these methods are crucial for mitigating the long-term impacts of drought and maintaining agricultural productivity.

A significant pattern emerging from the data is that IK systems are not static. They evolve in response to changing climate conditions and technological advancements. Indigenous communities are adapting their practices to cope with the increasing intensity and frequency of extreme weather events, often by incorporating modern scientific insights without abandoning their traditional methods. In many regions, the continuity of Indigenous Knowledge is sustained through the transfer of knowledge from elders to younger generations [5; 4]. This not only preserves the accuracy of IK predictions but also ensures that traditional practices remain relevant as part of broader climate adaptation strategies. The final trend observed is the enhanced resilience of communities that effectively use a combination of IK and modern forecasting methods. Communities with stronger social cohesion and well-established systems of knowledge sharing tend to demonstrate higher levels of preparedness and resilience in the face of extreme weather events. This is evident in case studies from Zimbabwe, Kenya, and the Pacific Islands, where communities have successfully reduced the impact of climate disasters through proactive measures informed by IK [19; 21].

Indigenous Knowledge systems play a critical role in accurately predicting extreme weather events and enabling communities to prepare and adapt effectively. The patterns identified highlight the importance of regional specificity, integration with modern science, and community-based adaptation measures. As climate change accelerates, it is clear that the most successful approaches to mitigation and adaptation will likely come from the fusion of Indigenous Knowledge and modern meteorological practices, ensuring that communities are both empowered and resilient in the face of increasingly unpredictable and extreme weather conditions.

4 Conclusion

This review has thoroughly examined the role of Indigenous Knowledge (IK) in predicting and understanding extreme climate events, with a focus on its practical applications in modern environmental management. The findings confirm that IK, which is based on long-term observations of natural indicators, provides highly accurate and trusted predictions that significantly contribute to community resilience. Despite its proven effectiveness, IK is often overlooked in mainstream climate adaptation strategies, primarily due to challenges related to scientific validation, standardization, and cultural differences.

The review highlights the critical need to integrate IK with scientific knowledge to create more robust and contextually appropriate climate adaptation strategies. Hybrid forecasting systems that combine these two approaches have been shown to improve both the accuracy of forecasts and the preparedness of communities. Policymakers must prioritize the scientific

validation of IK, address cultural barriers, and support adaptation initiatives that are led by communities. Developing inclusive policy frameworks that promote ongoing collaboration and knowledge exchange between Indigenous communities and scientists is vital for achieving sustainable climate resilience.

Future research should focus on developing systematic methodologies to incorporate IK into scientific models, including training programs for scientists to better understand and apply IK. Additionally, there is a pressing need to document and preserve IK to ensure its continuity for future generations. Collaborative research efforts that involve Indigenous communities in the co-creation of climate information will further enhance the resilience of both local and global communities to climate extremes. This integrative approach will ensure that climate adaptation strategies are not only scientifically rigorous but also culturally relevant and effective.

References

1. Kemarau, R. A., Noor, N. M., Ebo, O. V., Sieng, K. T., Norliati, N., Nor, F. M., & Suab, S. A. (2023). Fenomena El Niño dan impak terhadap hasil tangkapan ikan: Kajian kes di Sabah, Malaysia. *Geografia-Malaysian Journal of Society and Space*, 19(3), 216-232.
2. Madhuri, K., Sharma, A., & Kumar, V. (2023). Exploring community-based climate adaptation practices in rural India. *Climate Risk Management*, 30, 100382. <https://doi.org/10.1016/j.crm.2022.100382>
3. King, S. A., & Parker, D. J. (2023). Indigenous climate knowledge and resilience: The role of traditional practices in climate adaptation. *Climate Risk Management*, 38, 100387. <https://doi.org/10.1016/j.crm.2023.100387>
4. Ghosh, R., Chakraborty, M., & Chatterjee, P. (2023). Indigenous knowledge systems in disaster risk reduction: Insights from Sundarbans, India. *International Journal of Disaster Risk Reduction*, 86, 103468. <https://doi.org/10.1016/j.ijdrr.2023.103468>
5. Sutanto, S. J., Mulder, M. J., & Becker, P. (2024). The performance of Climate Information Service in delivering scientific, local, and hybrid weather forecasts in Bangladesh. *Climate Services*, 32, 100389. <https://doi.org/10.1016/j.cliser.2023.100389>
6. See, J., Canosa, J., & Castillo, V. (2024). Traditional and indigenous climate change adaptation knowledge and practices from Fiji, Vietnam, and the Philippines. *Climate Risk Management*, 40, 100405. <https://doi.org/10.1016/j.crm.2023.100405>
7. Dube, T., Gumindoga, W., Rwasoka, D. T., & Chikodzi, D. (2024). Assessing the resilience of smallholder farmers to climate variability: Insights from Zimbabwe. *Environmental Development*, 37, 100905. <https://doi.org/10.1016/j.envdev.2023.100905>
8. Nkuba, M. R., Chanda, R., Mmopelwa, G., Kato, E., Adedoyin, A., Mujuni, G., Lesolle, D., & Mangheni, M. N. (2023). Factors that influence pastoralists' estimation of onset and cessation of rains in Rwenzori region in Western Uganda. *Environmental Development*, 47, 100901. <https://doi.org/10.1016/j.envdev.2023.100901>
9. Rankoana, S. A. (2022). Indigenous knowledge and innovative practices to cope with impacts of climate change on small-scale farming in Limpopo Province, South Africa. *International Journal of Climate Change Strategies and Management*, 14(2), 180-190. <https://doi.org/10.1108/IJCCSM-04-2021-0040>
10. Leal Filho, W., Nagy, G. J., Borga, M., Fernández-Bilbao, A., Kuhlicke, C., & Olcina, J. (2022). Climate change adaptation in the water sector: The role of institutions and

- governance. *Journal of Hydrology*, **603**, 127043. <https://doi.org/10.1016/j.jhydrol.2021.127043>
11. Paparrizos, S., Kotsanis, I., & Tsoukala, V. (2023). Evaluating climate change impacts on agricultural productivity in the Mediterranean region using regional climate models. *Science of the Total Environment*, **875**, 162022. <https://doi.org/10.1016/j.scitotenv.2023.162022>
 12. Abunyewah, M., Yaro, J. A., & Teye, J. K. (2023). Indigenous knowledge systems and climate change adaptation among smallholder farmers in northern Ghana. *Environmental Development*, **36**, 100604. <https://doi.org/10.1016/j.envdev.2023.100604>
 13. Cuaton, G. P., & Su, Y. (2020). Local-indigenous knowledge on disaster risk reduction: The case of the Mamanwa in Basey, Samar after Typhoon Haiyan. *International Journal of Disaster Risk Reduction*, **43**, 101394. <https://doi.org/10.1016/j.ijdrr.2019.101394>
 14. Mekonnen, A., Gebre, H., & Girmay, H. (2021). Integrating indigenous knowledge and climate services to enhance resilience in Ethiopia. *Climate Services*, **24**, 100249. <https://doi.org/10.1016/j.cliser.2021.100249>
 15. Kamarau, R. A., Sakawi, Z., Eboy, O. V., Suab, S. A., Ibrahim, M. F., binti Rosli, N. N., & Nor, N. N. F. M. (2024). Planetary Boundaries Transgressions: A Review on the Implications to Public Health. *Environmental Research*, 119668.
 16. Eboy, O. V., & Kamarau, R. A. (2023). Analysis of Extreme Heat Land Surface Temperature at a Tropical City (1988-2022): A Study on the Variability of Hot Spot during El Niño Southern Oscillation (ENSO). *Science and Technology Indonesia*, **8**(3), 388-396.
 17. Chowdhury, M. A., Hasan, M. K., & Islam, S. L. U. (2022). Climate change adaptation in Bangladesh: Current practices, challenges and the way forward. *The Journal of Climate Change and Health*, **6**, 100108. <https://doi.org/10.1016/j.joclim.2021.100108>
 18. Kamarau, R. A., & Eboy, O. V. (2021). The influence of El Niño Southern Oscillation on urban heat island formation at tropical city: Case of Kuching City, Sarawak. *GEOGRAFIA. Malaysian Journal of Society and Space*, **17**(4), 288-304.
 19. Zvobgo, L., & Mavhura, E. (2023). Local knowledge-based adaptation practices and climate change resilience in southern Africa. *Climate and Development*, **15**(4), 384-399. <https://doi.org/10.1080/17565529.2022.2078100>
 20. Pivello, V. R., Oliveras, I., Miranda, H. S., Haridasan, M., Sato, M. N., & Meirelles, S. T. (2021). Fire management in the Brazilian savanna: First steps and the way forward. *Journal of Environmental Management*, **292**, 112746. <https://doi.org/10.1016/j.jenvman.2021.112746>
 21. Apraku, A., Morton, J. F., & Gyampoh, B. A. (2021). Climate change and small-scale agriculture in Africa: Does indigenous knowledge matter? Insights from Kenya and South Africa. *Scientific African*, **12**, e00821.
 22. Mardero, S., Ortega, J., & Diaz, M. (2023). Community-driven approaches to climate adaptation: Insights from rural Andean communities. *Environmental Development*, **47**, 100901. <https://doi.org/10.1016/j.envdev.2023.100901>
 23. Nyadzi, E., Nyamekye, A. B., & Ludwig, F. (2022). Making climate services actionable for farmers in Ghana: the value of co-production and knowledge integration. In *Indigenous Knowledge and Climate Governance: A Sub-Saharan African Perspective* (pp. 97-110). Cham: Springer International Publishing.
 24. Huynh, N., Pham, T., & Bui, Q. (2020). Indigenous knowledge and climate change adaptation: The case of the Hmong people in Bac Kan, Vietnam. *International Journal of Climate Change Strategies and Management*, **12**(1), 101-115. <https://doi.org/10.1108/IJCCSM-05-2019-0023>

25. Kamarau, R. A., & Eboy, O. V. (2020). Land Coverage Indices and Its Impact on Land Surface Temperature Pattern in Small Medium Sizes, Kota Kinabalu City for The Year 1991, 2011 and 2018. *Journal of Built Environment, Technology and Engineering*, 7, 30-35.
26. Kamarau, R. A., & Eboy, O. V. (2021). Application of Remote Sensing on El Niño Extreme Effect in Normalized Difference Vegetation Index (NDVI) and Normalized Difference Water Index (NDWI). *Malaysian Journal of Applied Sciences*, 6(1), 46-56.