



















- “Piperidine alkaloids from Piper retrofractum Vahl. protect against high-fat diet-induced obesity by regulating lipid metabolism and activating AMP-activated protein kinase,” *Biochem. Biophys. Res. Commun.*, vol. 411, no. 1, pp. 219–225, 2011.
5. H. S. Bodiwala *et al.*, “Antileishmanial amides and lignans from Piper cubeba and Piper retrofractum,” *J. Nat. Med.*, vol. 61, no. 4, pp. 418–421, 2007.
  6. U. Chansang *et al.*, “Mosquito larvicidal activity of aqueous extracts of long pepper (*Piper retrofractum* vahl) from Thailand,” *J. Vector Ecol.*, vol. 30, no. 2, pp. 195–200, 2005.
  7. M. Rahardjo, “Tanaman Obat Afrodisiak,” *War. Penelit. dan Pengemb. Tanam.*, vol. 16, no. 2, pp. 1–35, 2010.
  8. S. Muslichah, “Potensi Afrodisiak Kandungan Aktif Buah Cabe Jawa (*Piper retrofractum* Vahl) pada Tikus Jantan Galur Wistar,” *J Agrotek*, vol. 5, no. 2, pp. 11–20, 2011.
  9. B. Wahjoedi, Pudjiastuti, Adjirni, B. Nuratmi, and Y. Astuti, “Efek Androgenik Ekstrak Etanol Cabe Jawa (*Piper retrofractum* Vahl) pada Anak Ayam,” *J. Bahan Alam Indones.*, vol. 3, no. 2, pp. 201–204, 2004.
  10. T. Usia, “Mengenal Cabe Jawa: Tanaman Obat Untuk Stamina Pria,” *InfoPOM - Badan Pengawas Obat dan Makanan RI*, vol. 13, no. 2, pp. 4–7, 2012.
  11. E. Evacuasiyany and S. Puradisastra, “Ekstrak Biji Pala (*Myristica fragans* Houtt) dan Cabe Jawa (*Piper retrofractum* Vahl) sebagai Afrodisiak pada Tikus dan Mencit,” *J. Kesehat. Masy.*, vol. 10, no. 2, pp. 158–166, 2011.
  12. R. Himayani, “Hubungan pemberian ekstrak cabe jawa (*Piper retrofractum* Vahl) terhadap jumlah spermatozoa mencit jantan dewasa,” *J. Kedokt. dan Kesehat. Univ. Lampung*, vol. 2, no. 2, pp. 73–76, 2012.
  13. N. Moeloek, S. W. Lestari, Yurnadi, and B. Wahyjoedi, “Uji Klinik Ekstrak Cabe Jawa (*Piperis retrofractum*) sebagai Fitofarmaka Androgenik pada Pria Hipogonad,” *Maj Kedokt Indon*, vol. 60, no. 6, pp. 255–262, 2010.
  14. U. G. Mutiara, Sutyarso, and S. Mustofa, “Pengaruh Pemberian Ekstrak Cabe Jawa (*Piper retrofractum* Vahl) dan Zinc (Zn) Terhadap Jumlah Sel Germinal Testis Tikus Putih Jantan (*rattus norvegicus*),” *Major. (Medical J. Lampung Univ.*, vol. 2, no. 5, pp. 147–155, 2013.
  15. N. Rahmawati and I. M.S, “Efek Afrodisiaka Ramuan Cabe Jawa (*Piper Retrofractum* L), Pegagan (*Centella asiatica*) dan Temu Lawak (*Curcuma domestica*) Terhadap Libido Tikus Jantan,” in *Seminar Nasional: Reformasi Pertanian Terintegrasi Menuju Kedaulatan Pangan*, 2011, pp. 1–3.
  16. K. S. Andrade, G. Trivellin, and S. R. S. Ferreira, “Piperine-rich extracts obtained by high pressure methods,” *J. Supercrit. Fluids*, vol. 128, pp. 370–377, 2017.
  17. D. Anissian *et al.*, “Piperine-loaded chitosan-STPP nanoparticles reduce neuronal loss and astrocytes activation in chemical kindling model of epilepsy,” *Int. J. Biol. Macromol.*, vol. 107, no. PartA, pp. 973–983, 2018.
  18. M. R. Bhalekar, A. R. Madgulkar, P. S. Desale, and G. Marium, “Formulation of piperine solid lipid nanoparticles (SLN) for treatment of rheumatoid arthritis,” *Drug Dev. Ind. Pharm.*, vol. 43, no. 6, pp. 1003–1010, 2017.
  19. N. Ningsih, S. Yasni, and S. Yuliani, “Sintesis Nanopartikel Ekstrak Kulit Manggis Merah Dan Kajian Sifat Fungsional Produk Enkapsulasinya,” *J. Teknol. dan Ind. Pangan*, vol. 28, no. 1, pp. 27–35, 2017.
  20. M. Pachauri, E. D. Gupta, and P. C. Ghosh, “Piperine loaded PEG-PLGA nanoparticles: Preparation, characterization and targeted delivery for adjuvant breast cancer chemotherapy,” *J. Drug Deliv. Sci. Technol.*, vol. 29, 2015.
  21. A. C. Suwarno, Y. Yulizar, D. O. B. Apriandanu, and R. M. Surya, “Biosynthesis of Dy2O3 nanoparticles using Piper Retrofractum Vahl extract: Optical, structural, morphological, and photocatalytic properties,” *J. Mol. Struct.*, vol. 1264, p. 133123, 2022.
  22. R. A. Hashad, R. A. H. Ishak, S. Fahmy, S. Mansour, and A. S. Geneidi, “Chitosan-tripolyphosphate nanoparticles: Optimization of formulation parameters for improving process yield at a novel pH using artificial neural networks,” *Int. J. Biol. Macromol.*, vol. 86, no. 2016, pp. 50–58, 2016.
  23. W. Fan, W. Yan, Z. Xu, and H. Ni, “Formation mechanism of monodisperse, low molecular weight chitosan nanoparticles by ionic gelation technique,” *Colloids Surfaces B Biointerfaces*, vol. 90, no. 1, pp. 21–27, 2012.
  24. Y. Dong, W. K. Ng, S. Shen, S. Kim, and R. B. H. Tan, “Scalable ionic gelation synthesis of chitosan nanoparticles for drug delivery in static mixers,” *Carbohydr. Polym.*, vol. 94, no. 2, pp. 940–945, 2013.
  25. A. Rahman, H. Fansuri, B. D. Probawati, and A. M. M. Sa’diyah, “Efek Perlakuan Awal dengan Pulsed Elektrik Field (PEF) Terhadap Kualitas Ekstrak Cabe Jamu (*Piper retrofractum* Vahl.),” *Agrointek J. Teknol. Ind. Pertan.*, vol. 17, no. 4, pp. 934–943, 2023.
  26. Kementerian Kesehatan RI, *Farmakope Herbal Indonesia*, II. Jakarta: Kementerian Kesehatan RI, 2017.
  27. Q. Xu, Y. Shen, H. Wang, N. Zhang, S. Xu, and L. Zhang, “Application of response surface methodology to optimise extraction of flavonoids from fructus sophorae,” *Food Chem.*, vol. 138, no. 4, pp. 2122–2129, 2013.

28. I. Veza, M. Spraggon, I. M. R. Fattah, and M. Idris, "Response surface methodology (RSM) for optimizing engine performance and emissions fueled with biofuel: Review of RSM for sustainability energy transition," *Results Eng.*, vol. 18, no. March, 2023.
29. M. A. Bezerra, R. E. Santelli, E. P. Oliveira, L. S. Villar, and L. A. Escaleira, "Response surface methodology (RSM) as a tool for optimization in analytical chemistry," *Talanta*, vol. 76, no. 5, pp. 965–977, 2008.
30. Y. He *et al.*, "Optimisation of pulsed electric fields extraction of anthocyanin from Beibinghong *Vitis Amurensis* Rupr," *Nat. Prod. Res.*, vol. 32, no. 1, pp. 23–29, 2018.
31. O. Shafqat, Z. Rehman, M. M. Shah, S. H. B. Ali, Z. Jabeen, and S. Rehman, "Synthesis, structural characterization and in vitro pharmacological properties of betanin-encapsulated chitosan nanoparticles," *Chem. Biol. Interact.*, vol. 370, no. December 2022, pp. 1–11, 2023.
32. A. Fàbregas *et al.*, "Impact of physical parameters on particle size and reaction yield when using the ionic gelation method to obtain cationic polymeric chitosan-tripolyphosphate nanoparticles," *Int. J. Pharm.*, vol. 446, no. 1–2, pp. 199–204, 2013.
33. V. K. Gupta and P. K. Karar, "Optimization of process variables for the preparation of chitosanalginate nanoparticles," *Int. J. Pharm. Pharm. Sci.*, vol. 3, no. SUPPL. 2, pp. 78–80, 2011.
34. R. S. Dangi and S. Shakya, "Preparation, optimization and characterization of PLGA nanoparticle," *Int. J. Pharm. Life Sci.*, vol. 4, no. 7, pp. 2810–2818, 2013.
35. W. Taurina, R. Sari, U. C. Hafinur, S. Wahdaningsih, and I. Isnindar, "Optimization Of Stirring Speed And Stirring Time Toward Nanoparticle Size Of Chitosan-Siam Citrus Peel (*Citrus nobilis* L.var *Microcarpa*) 70% Ethanol Extract," *Tradit. Med. J.*, vol. 22, no. 1, pp. 16–20, 2017.
36. W. C. G. Budastra, W. Hajrin, and D. G. Wirasisya, "Pengaruh Kecepatan Pengadukan Terhadap Karakteristik Nanopartikel Sari Buah Juwet (*Syzygium cumini* L.)," *J. Kedokt. Unram*, vol. 11, no. 3, pp. 1000–1006, 2022.
37. A. L. de Pinho Neves, C. C. Milioli, L. Müller, H. G. Riella, N. C. Kuhnen, and H. K. Stulzer, "Factorial design as tool in chitosan nanoparticles development by ionic gelation technique," *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 445, pp. 34–39, 2014.
38. J. Antoniou, F. Liu, H. Majeed, J. Qi, W. Yokoyama, and F. Zhong, "Physicochemical and morphological properties of size-controlled chitosan-tripolyphosphate nanoparticles," *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 465, pp. 137–146, 2015.
39. L. Gorgani, M. Mohammadi, G. D. Najafpour, and M. Nikzad, "Piperine—The Bioactive Compound of Black Pepper: From Isolation to Medicinal Formulations," *Compr. Rev. Food Sci. Food Saf.*, vol. 16, no. 1, pp. 1–17, 2016.