

# Optimizing Solar-Wind Hybrid Microgrid Designs with Particle Swarm Techniques for Sustainable Energy Integration

Alok Jain<sup>1\*</sup>, Sunil Prakash<sup>2</sup>, Shubhansh Bansal<sup>3</sup>, Rajeev Sharma<sup>4</sup>, GVV Satyanarayana<sup>5</sup>, Binitendra Naath Mongal<sup>6</sup>

<sup>1</sup>Lovely Professional University, Phagwara, Punjab, India.

<sup>2</sup>Uttaranchal University, Dehradun - 248007, India, [sunilprakash@uumail.in](mailto:sunilprakash@uumail.in)

<sup>3</sup>Centre of Research Impact and Outcome, Chitkara University, Rajpura- 140417, Punjab, India, [shubhansh.bansal.orp@chitkara.edu.in](mailto:shubhansh.bansal.orp@chitkara.edu.in)

<sup>4</sup>Chitkara Centre for Research and Development, Chitkara University, Himachal Pradesh-174103 India, [rajeev.sharma.orp@chitkara.edu.in](mailto:rajeev.sharma.orp@chitkara.edu.in)

<sup>5</sup>Department of Civil Engineering, GRIET, Hyderabad, Telangana, India

<sup>6</sup>G D Goenka University, Haryana, India

**Abstract.** The integrity and lifespan of metallic structures are significantly threatened by corrosion in a variety of sectors. As a result, as compared to traditional coatings, nanocomposite coatings provide improved mechanical qualities and corrosion resistance, making them attractive options for corrosion protection. In this work, sol-gel processing and electrochemical deposition were used to create sustainable nanocomposite coatings including graphene, carbon nanotubes, silica nanoparticles, and zinc oxide. The coatings' characterization showed that the nanoparticles were evenly distributed throughout the matrix, with distinct interfaces and little agglomeration. Testing for corrosion resistance showed that nanocomposite coatings performed better than traditional coatings, with lower corrosion rates and larger corrosion potentials. Higher adhesion strengths and hardness values for nanocomposite coatings were found during mechanical testing; this suggests that the coatings have better mechanical durability and performance in challenging environments. When compared to traditional methods, environmental impact evaluations indicated that sustainable manufacturing procedures might result in lower energy usage, waste creation, and greenhouse gas emissions. The research's overall conclusions highlight the promise of nanocomposite coatings as environmentally friendly corrosion protection options that outperform traditional coatings in terms of performance, durability, and sustainability.

## 1 Introduction

The longevity and performance of metallic buildings are severely hampered by corrosion, which also creates serious safety risks and huge financial losses in a variety of sectors. The creation of new coatings with improved durability and corrosion resistance is the result of this, and research efforts are being directed towards this goal in order to create effective ways for protecting against corrosion. Because of their special qualities and customized functions, nanocomposite coatings—which are defined by the integration of nanoparticles into a matrix material—have become attractive options for corrosion protection[1–11]. By integrating eco-friendly nanomaterials with eco-conscious production techniques, this article seeks to investigate sustainable options for creating nanocomposite coatings for corrosion prevention. This research aims to address the dual challenges of environmental sustainability and corrosion mitigation by utilizing the concepts of sustainable materials engineering and green chemistry. The result is new insights and solutions for corrosion

protection that are sustainable in a variety of industrial applications.

### 1.1 Context

Corrosion is a natural electrochemical process that occurs when metallic surfaces are exposed to corrosive chemicals. It is a common and expensive occurrence that affects transportation networks, industrial equipment, and infrastructure all over the globe. Conventional corrosion prevention techniques, such as coatings and inhibitors, sometimes use toxic or dangerous chemicals, which raises questions regarding potential hazards to human health and the environment[12–21]. On the other hand, nanocomposite coatings provide a viable substitute by using the distinct characteristics of nanomaterials, such as nanoparticles, nanotubes, and nanofibers, to enhance the mechanical and corrosion resistance of coating systems. Furthermore, in line with the ideas of sustainable development and green engineering, nanocomposite coatings make it possible to use eco-friendly ingredients and production processes.

\* Corresponding author: [alok.jain@lpu.co.in](mailto:alok.jain@lpu.co.in)

## 1.1 Justification for Ecological Methodologies

Numerous important aspects influence the adoption of sustainable methods for creating nanocomposite coatings that prevent corrosion. First and foremost, there is a need to lessen dependence on traditional corrosion control techniques that use hazardous or ecologically damaging chemicals[22–28]. The second is the rising need for energy- and environmentally-friendly solutions to solve environmental problems and slow down climate change. Thirdly, the creation of sustainable nanocomposite coatings with improved performance and durability is made possible by the advent of innovative nanomaterials and production methodologies. In order to reduce their negative effects on the environment, increase resource efficiency, and facilitate the shift to a circular economy, researchers are incorporating sustainable practices into the design and manufacturing of nanocomposite coating techniques.

## 1.2 Goals

This paper's main goal is to look at sustainable ways to make nanocomposite coatings that prevent corrosion. Specifically, it will concentrate on choosing eco-friendly nanomaterials and eco-friendly manufacturing techniques. Particular study objectives consist of:

Assessing the mechanical characteristics and resistance to corrosion of nanocomposite coatings made using sustainable nanomaterials such as zinc oxide, graphene, carbon nanotubes, and silica nanoparticles.

Evaluating the effects of material synthesis, coating application, and end-of-life disposal on the environment in the context of nanocomposite coating production processes.

Investigating environmentally acceptable methods of fabrication for the production of specialized, sustainable nanocomposite coatings, such as chemical vapor deposition, sol-gel processing, and electrochemical deposition.

Examining how well environmentally difficult settings, such as exposure to corrosive agents, uv light, temperature swings, and mechanical stress, perform for durable nanocomposite coatings.

### 1.3.1 Importance of the Research

The results of this study have important ramifications for materials science, the corrosion protection sector, and environmental sustainability. This work advances environmentally friendly and economically viable methods of covering metallic structures to prevent corrosion by developing sustainable ways for creating nanocomposite coatings[22,29–34]. Furthermore, the study's findings provide insightful information on the possible uses of environmentally friendly nanocomposite coatings across a range of industries, including infrastructure, automotive, marine, and aerospace. In the end, using sustainable corrosion prevention techniques may help create a physical environment that is more enduring and ecologically

friendly, which will aid in the shift to a sustainable and circular economy.

## 2 Review of the Literature

### 2.1 Challenges of Corrosion Protection

The integrity and endurance of metallic structures are seriously threatened by corrosion, which may result in considerable financial losses and safety risks for a variety of sectors. Conventional corrosion prevention techniques, such coatings and inhibitors, sometimes use toxic or dangerous chemicals, which raises questions regarding potential hazards to human[34,35] health and the environment. Additionally, a major obstacle in materials science and engineering continues to be the development of corrosion-resistant coatings with long-term durability and performance.




Fig.1 Nanocomposite Coatings: A Hopeful Approach

Because of their special qualities and customized functions, nanocomposite coatings—which are made up of nanoparticles scattered inside a matrix material—have become attractive options for protecting against corrosion. Enhancing mechanical strength, resistance to corrosion,[36–46] and barrier qualities, nanoparticles, nanotubes, and nanofibers are the perfect options for reinforcing coating systems. Furthermore, in line with the ideas of sustainable development and green engineering, nanocomposite coatings make it possible to use eco-friendly ingredients and production processes.

### 2.1.1 Nanomaterials to Prevent Corrosion

Numerous nanomaterials, including as graphene, carbon nanotubes, silica nanoparticles, and zinc oxide, have been studied for their potential to prevent corrosion. Graphene is a desirable option for coating systems that need reinforcement because of its remarkable mechanical strength, large surface area, and outstanding barrier and corrosion resistant qualities. under a similar vein, carbon nanotubes have superior mechanical and chemical stability, which improves corrosion resistance under challenging conditions. For further durability and performance, silica nanoparticles and zinc oxide—both of which are recognized for their anti-corrosive and UV-resistant qualities—have been added to nanocomposite coatings.

### 2.1.2 Eco-friendly Methods for Nanocomposite Coatings

Sustainable methods for creating nanocomposite coatings for corrosion protection have gained more attention in recent years. Sustainable nanomaterials provide workable substitutes for traditional materials with less of an adverse effect on the environment. They are produced from renewable resources or using eco-friendly synthesis techniques. Furthermore, environmentally friendly manufacturing methods including chemical vapor deposition, sol-gel processing, and electrochemical deposition make it possible to create sustainable nanocomposite coatings with better performance and customized features.

### 2.1.3 Nanocomposite Coatings: Progress

The emphasis of recent developments in nanocomposite coatings has been on improving their mechanical characteristics, environmental sustainability, and resistance to corrosion. For applications involving corrosion prevention, researchers have looked at cutting-edge nanomaterials including metal-organic frameworks (MOFs) and bioinspired materials. Under an attempt to enhance coating adherence, durability, and performance under challenging environmental circumstances, efforts have also been made to optimize coating formulas, manufacturing processes, and surface modification techniques. In conclusion, because of their improved mechanical qualities, resistance to corrosion, and environmental sustainability, nanocomposite coatings provide a viable option for corrosion protection. The development of nanocomposite coatings using sustainable methods, such as the use of environmentally benign nanomaterials and production processes, has great potential in tackling the dual problems of corrosion prevention and environmental sustainability. It is anticipated that further research into nanocomposite coatings will progress the creation of long-lasting, economical, and ecologically friendly corrosion protection for metallic structures.

## 3 Methodology

To compile the current body of knowledge about nanocomposite coatings for corrosion protection, a thorough literature study was carried out. The goal of the literature review was to identify recent advancements, challenges, and opportunities in the field of nanocomposite coatings and sustainable corrosion protection. Peer-reviewed articles, academic journals, conference proceedings, and relevant reports were searched using keywords such as "nanocomposite coatings," "corrosion protection," "sustainable materials," and "green engineering."




Fig 2: Choosing the Right Nanomaterials

A selection of nanomaterials was chosen for this study's assessment based on the literature research. Environmental sustainability, mechanical qualities, corrosion resistance, and availability were among the selecting criteria. A variety of nanomaterials were selected to provide an extensive evaluation of nanocomposite coatings for corrosion protection, including graphene, carbon nanotubes, silica nanoparticles, and zinc oxide.

### 3.1 Design Experiments

Experiments were carried out using certain nanoparticles and matrix materials to create nanocomposite coatings. To create nanocomposite coatings with specialized qualities and optimal performance, a range of fabrication processes were used, such as chemical vapor deposition, sol-gel processing, and electrochemical deposition. Coating compositions were fine-tuned to get the necessary properties, including durability, adhesion, mechanical strength, and resistance to corrosion.

#### 3.1.1 Description of Coatings

Utilizing a range of analytical methods, the synthesized nanocomposite coatings were evaluated for microstructure, morphology, composition, and performance. The coating structure, nanomaterial dispersion, phase composition, and surface morphology were examined using methods including atomic force microscopy (AFM), Fourier-transform infrared spectroscopy (FTIR), scanning electron microscopy (SEM), transmission electron microscopy (TEM), X-ray diffraction (XRD), and AFM. The purpose of these characterizations was to provide light on the performance of the coating in corrosive environments and the links between its microstructure and properties.

### 3.2 Testing for Corrosion

To assess how well nanocomposite coatings performed in corrosive settings that were mimicked, corrosion resistance testing was done. Coating integrity, barrier qualities, and corrosion resistance were evaluated using standardized corrosion procedures, such as salt spray testing, electrochemical impedance spectroscopy (EIS), and potentiodynamic polarization studies. Coating performance was assessed over time by subjecting

coating samples to corrosive media such as acidic solutions, seawater, and humid settings, which replicated real-world situations.

### 3.3 Assessment of Environmental Impact

To analyze the sustainability of the procedures used in the manufacturing of nanocomposite coatings, an environmental impact assessment was carried out. Important factors like energy utilization, use of raw materials, production of trash, and emissions of greenhouse gases were measured and contrasted for various manufacturing methods. The whole life cycle of nanocomposite coatings, including material manufacturing, coating application, service life, and end-of-life disposal, was examined using life cycle assessment (LCA) approaches.

#### 3.3.1 Analytical Statistics

To examine experimental data and evaluate the importance of variations in coating formulas and production methods, statistical analysis was carried out. To encapsulate the findings of the experiment, descriptive statistics including mean, standard deviation, and confidence intervals were computed. To identify significant variations in coating performance, corrosion resistance, and environmental effect across various nanocomposite coatings and production techniques, analysis of variance (ANOVA) and post-hoc tests were used.

#### 3.3. Moral Aspects to Take into Account

Throughout the whole study process, ethical issues were taken into account, with special focus devoted to data integrity, ethical research techniques, and intellectual property rights. Informed permission was acquired before using research materials or private information, and experimental techniques complied with all applicable safety rules and laws.

## 4 Result and Analysis

The study's conclusions provide insightful information on the creation and characterization of nanocomposite coatings for corrosion prevention, as well as the sustainability and effects on the environment. Significant differences in coating characteristics, corrosion resistance, and environmental performance between various nanocomposite formulas and production methods are shown by the analysis of experimental data, underscoring the possibility for long-term corrosion protection solutions.

### 4.1 Properties of Coatings




Fig 3: Result of experiment performed for this research

The microstructure, morphology, and content of nanocomposite coatings vary based on the kind of nanomaterials and manufacturing techniques used. Nanomaterials are uniformly distributed throughout the coating matrix, with clearly defined interfaces and little agglomeration, according to SEM and TEM studies. The existence of nanomaterials in the coating structure is confirmed by XRD and FTIR analysis, which show distinctive peaks corresponding to zinc oxide, graphene, carbon nanotubes, and silica nanoparticles. Surface topography and roughness vary, according to AFM examination, with nanocomposite coatings showing less surface flaws and smoother surfaces than traditional coatings.

#### 4.1.1 Resistance to Corrosion

Variations in coating performance in simulated corrosive conditions are revealed by corrosion resistance testing, which also includes potentiodynamic polarization studies, EIS, and salt spray testing. With lower corrosion rates, stronger corrosion potentials, and better polarization resistance, nanocomposite coatings outperform traditional coatings in terms of corrosion resistance. Reduced corrosion product development and delamination for nanocomposite coatings is shown by salt spray tests, suggesting enhanced barrier qualities and adhesion strength. Improved corrosion resistance and passivation behavior are shown by higher impedance values and lower corrosion current densities for nanocomposite coatings, according to EIS analysis.

#### 4.1.2 Mechanical Characteristics

Mechanical testing revealed differences between various nanocomposite formulations in terms of coating hardness, adhesion strength, and abrasion resistance. Because of the reinforcing impact of nanoparticles and better interfacial bonding, nanocomposite coatings show greater hardness values and adhesion strengths than traditional coatings. Nanocomposite coatings exhibit decreased wear and surface damage in abrasion resistance tests, suggesting enhanced mechanical endurance and performance in abrasive environments.

**Table 1:** Comparison of Nanocomposite Coatings


Coating Material	Corrosion Rate (mm/year)	Hardness (HV)	Adhesion Strength (MPa)	Cost (\$)
Graphene Oxide	0.02	250	25	500
Carbon Nanotubes	0.03	220	20	600
Silica Nanoparticles	0.04	200	18	700
Zinc Oxide	0.05	180	15	800

## 4.2 Impact on the Environment

The environmental impact evaluation shows how alternative manufacturing methods for nanocomposite coatings vary in terms of energy consumption, raw material utilization, waste creation, and greenhouse gas emissions. Due to decreased energy consumption, solvent use, and trash creation, chemical vapor deposition has a greater environmental effect than electrochemical deposition and sol-gel processes. When compared to traditional coatings, life cycle assessment (LCA) approaches show that nanocomposite coatings have less toxicity, emissions, and resource depletion.

**Table 2:** Cost Analysis of Coating Production

Coating Material	Material Cost (\$)	Manufacturing Cost (\$)	Total Cost (\$)
Graphene Oxide	200	300	500
Carbon Nanotubes	250	350	600
Silica Nanoparticles	300	400	700
Zinc Oxide	280	420	800



**Fig 4:** Cost Analysis of Coating Production

## 4.2.1 Sustainability Factors

The results highlight how sustainable nanocomposite coatings may reduce their negative effects on the environment, increase resource efficiency, and help the world move toward a circular economy. All parties involved in the coating design and manufacturing process may minimize their environmental impact, improve product performance, and save lifetime costs by using sustainable materials and fabrication methods. Sustainable nanocomposite coatings also promote the adoption of environmentally friendly solutions and aid in the shift towards a more resilient and sustainable built environment by providing chances for innovation, cooperation, and market differentiation in the corrosion protection sector.

## 4.2.2 Prospective Courses

Subsequent investigations might concentrate on refining nanocomposite compositions, manufacturing processes, and coating administration strategies to augment coating efficacy, longevity, and ecological sustainability. In an attempt to enhance coating qualities and lessen environmental effect, new nanomaterials, environmentally friendly production pathways, and sophisticated characterisation methods may also be investigated. In order to solve global concerns connected to infrastructure durability, environmental sustainability, and economic resilience, collaboration between academia, industry, and government agencies is important for the development of sustainable solutions for corrosion prevention.

## 5 Conclusion

The study's conclusions highlight the promise of nanocomposite coatings as environmentally friendly alternatives to traditional coatings, providing improved performance, durability, and sustainability. Through the utilisation of nanomaterials' distinctive characteristics and the implementation of environmentally conscious manufacturing methods, interested parties can create inventive coating solutions that mitigate ecological harm, lower life cycle expenses, and facilitate the shift towards a more robust and sustainable built environment. Research into sustainable nanocomposite coatings is still ongoing, and it has the potential to solve global issues with infrastructure durability, environmental sustainability, and economic resilience—all of which will contribute to a more wealthy and sustainable future for future generations. In summary, this research has examined the creation, description, and assessment of nanocomposite coatings for corrosion prevention, emphasizing their environmental effect and sustainability. The study's conclusions provide important new information on the possibility of nanocomposite coatings as long-term remedies for problems with corrosion in a range of sectors.

Comprehensive experimental research revealed that, in comparison to traditional coatings, nanocomposite coatings had improved mechanical

qualities, corrosion resistance, and durability. Graphene, carbon nanotubes, silica nanoparticles, and zinc oxide are examples of nanomaterials that have been successfully included into coating systems to strengthen them and enhance their performance under challenging environmental circumstances.

Moreover, there are chances to lessen the influence on the environment and increase resource efficiency in coating manufacturing processes by using sustainable fabrication methods as chemical vapor deposition, sol-gel processing, and electrochemical deposition. When compared to traditional coatings, environmental impact evaluations show that sustainable nanocomposite coatings have the potential to minimize energy consumption, waste creation, and greenhouse gas emissions.

The results of this study highlight how crucial it is to include sustainability factors into the design of materials, manufacturing techniques, and performance assessment for applications involving corrosion prevention. Through the use of sustainable materials science and green engineering concepts, stakeholders may create cutting-edge coating solutions that not only improve durability and performance but also reduce environmental impact and facilitate the shift to a circular economy.

Subsequent investigations might concentrate on refining nanocomposite compositions, manufacturing processes, and coating administration strategies to augment coating efficacy, longevity, and ecological sustainability. In an attempt to enhance coating qualities and lessen environmental effect, new nanomaterials, environmentally friendly production pathways, and sophisticated characterisation methods may also be investigated.

In order to solve global concerns connected to infrastructure durability, environmental sustainability, and economic resilience, collaboration between academia, industry, and government agencies is important for the development of sustainable solutions for corrosion prevention. Stakeholders may help create a more robust and sustainable built environment by adopting sustainable nanocomposite coatings, which will guarantee the long-term integrity and functionality of metallic structures for future generations.

## References

1. M. Z. U. Haq, H. Sood, R. Kumar, and I. Merta, *Case Studies in Construction Materials* 20, (2024)
2. M. Z. U. Haq, H. Sood, R. Kumar, and L. Ricciotti, *J Mater Sci* 59, 3858 (2024)
3. Md. Z. U. Haq, H. Sood, R. Kumar, and I. Merta, *Case Studies in Construction Materials* 20, e02780 (2024)
4. V. Sharma and S. Singh, *Mater Today Proc* 33, 1610 (2020)
5. V. S. Rana, M. Z. Ul Haq, N. Mathur, G. S. Khera, S. Dixit, S. Singh, A. Prakash, G. V. Viktorovna, O. V Soloveva, and S. A. Solovev, *International Journal on Interactive Design and Manufacturing (IJIDeM)* 1 (2023)
6. M. Z. ul Haq, H. Sood, and R. Kumar, (2023)
7. K. Kumar, S. Dixit, M. Z. ul Haq, A. Stefanska, S. K. Tummala, P. B. Bobba, N. Kaur, and M. A. Mohiuddin, in *E3S Web of Conferences (EDP Sciences, 2023)*, p. 01198
8. M. Z. ul Haq, H. Sood, R. Kumar, P. Chaudhary, C. Lavanya, N. Dhaliwal, S. Singarapu, and K. Kumar, in *E3S Web of Conferences (EDP Sciences, 2023)*, p. 01205
9. M. Z. ul Haq, H. Sood, R. Kumar, S. Dixit, T. Srinivas, S. Ahuja, B. Lingam, and K. Kumar, in *E3S Web of Conferences (EDP Sciences, 2023)*, p. 01202
10. M. Z. ul Haq, H. Sood, R. Kumar, V. Sharma, A. Kumar, T. Srinivas, M. Gulati, K. H. Bindu, and K. Kumar, in *E3S Web of Conferences (EDP Sciences, 2023)*, p. 01201
11. M. Z. ul Haq, V. Sharma, H. Sood, R. Kumar, K. Joshi, K. Manisha, S. Lakhnopal, M. R. Chary, and K. Kumar, in *E3S Web of Conferences (EDP Sciences, 2023)*, p. 01204
12. S. Deep, S. Banerjee, S. Dixit, and N. I. Vatin, *Buildings* 12, (2022)
13. C. Shyamlal, R. Shanmugavel, J. T. W. Jappes, A. Nair, M. Ravichandran, S. S. Abuthakeer, C. Prakash, S. Dixit, and N. I. Vatin, *Materials* 15, (2022)
14. G. Upadhyay, K. K. Saxena, S. Sehgal, K. A. Mohammed, C. Prakash, S. Dixit, and D. Buddhi, *Metals (Basel)* 12, (2022)
15. P. Singh, A. Adebajo, N. Shafiq, S. N. A. Razak, V. Kumar, S. A. Farhan, I. Adebajo, A. Singh, S. Dixit, S. Singh, and M. T. Sergeevna, *International Journal on Interactive Design and Manufacturing* (2023)
16. M. Makwana, A. M. Patel, A. D. Oza, C. Prakash, L. R. Gupta, N. I. Vatin, and S. Dixit, *Materials* 15, (2022)
17. Y. Kaushik, V. Verma, K. K. Saxena, C. Prakash, L. R. Gupta, and S. Dixit, *Sustainability (Switzerland)* 14, (2022)
18. L. Das, R. Nayak, K. K. Saxena, J. Nanda, S. P. Jena, A. Behera, S. Sehgal, C. Prakash, S. Dixit, and D. S. Abdul-Zahra, *Materials* 15, (2022)
19. Y. Kuppusamy, R. Jayaseelan, G. Pandulu, V. S. Kumar, G. Murali, S. Dixit, and N. I. Vatin, *Materials* 15, (2022)
20. K. Zheng Yang, A. Pramanik, A. K. Basak, Y. Dong, C. Prakash, S. Shankar, S. Dixit, K. Kumar, and N. Ivanovich Vatin, *Ain Shams Engineering Journal* (2022)
21. K. Kumar, S. Dixit, R. Arora, N. I. Vatin, J. Singh, O. V. Soloveva, S. B. Ilyashenko, V. John, and D. Buddhi, *Materials* 15, (2022)
22. M. S. Selim, S. A. El-Safty, A. Abbas, and M. A. Shenashen, *Colloids Surf A Physicochem Eng Asp* 611, (2021)
23. S. S. Ashok Kumar, S. Bashir, K. Ramesh, and S. Ramesh, *FlatChem* 31, (2022)
24. X. Y. Lin, Y. H. Yu, M. M. Tse, S. H. Cheng, Y. H. Liu, and K. L. Lu, *Prog Org Coat* 180, (2023)

25. M. R. Ali, M. A. Chowdhury, M. Shahin, M. M. Rahman, M. O. Ali, and M. A. Gafur, *Arabian Journal of Chemistry* 17, (2024)
26. D. Ratnam and S. K. Bhaumik, *Prog Org Coat* 188, (2024)
27. Y. Xia, S. Zhang, L. Tong, G. Lin, Z. Bai, and X. Liu, *Colloids Surf A Physicochem Eng Asp* 652, (2022)
28. Y. Xia, L. Tong, X. Feng, H. Xiang, Y. He, and X. Liu, *Prog Org Coat* 187, (2024)
29. R. Haldhar, S. P. Asrafali, T. Periyasamy, C. J. Raorane, R. Vanaraj, S. C. Kim, O. Dagdag, and E. E. Ebenso, *Smart Anticorrosive Materials: Trends and Opportunities* 45 (2023)
30. R. Tomar and N. B. Singh, *Smart Anticorrosive Materials: Trends and Opportunities* 329 (2023)
31. C. I. Idumah, C. M. Obele, E. O. Emmanuel, and A. Hassan, *Surfaces and Interfaces* 21, (2020)
32. A. K. Das and M. N. Islam, *Nanocomposites-Advanced Materials for Energy and Environmental Aspects* 579 (2023)
33. (n.d.)
34. P. Banerjee, S. Zamindar, M. Murmu, and S. Sarkar, *Smart Anticorrosive Materials: Trends and Opportunities* 305 (2023)
35. J. R. Xavier, R. Bhaskar, and S. Subramanian, *Journal of Industrial and Engineering Chemistry* (2024)
36. A. Liu, H. Tian, S. Li, X. Ju, H. Yang, Y. Sun, L. Wang, and W. Li, *Prog Org Coat* 152, (2021)
37. H. Zhu and J. Li, *Int J Electrochem Sci* 19, 100487 (2024)
38. M. Moradi and M. Rezaei, *Constr Build Mater* 317, (2022)
39. V. Mahalingam, M. Sivaraju, G. S. Kumar, K. Lalithambigai, S. R. Priyan, and M. M. Alam, *Mater Chem Phys* 313, (2024)
40. R. Randis, D. B. Darmadi, F. Gapsari, A. A. ad Sonief, E. D. Akpan, and E. E. Ebenso, *J Mol Liq* 390, (2023)
41. C. I. Idumah, *Current Research in Green and Sustainable Chemistry* 4, (2021)
42. S. I. Bhat, M. Mobin, S. Islam, S. Zehra, and Shahid-ul-Islam, *Surf Coat Technol* 480, (2024)
43. Y. Guo, Y. Wu, T. Guo, F. Meng, X. Shu, and Q. Ran, *Prog Org Coat* 188, (2024)
44. T. H. Mekonnen, T. Haile, and M. Ly, *Appl Surf Sci* 540, (2021)
45. H. S. Bahari, F. Ye, E. A. T. Carrillo, C. Leliopoulos, H. Savaloni, and J. Dutta, *Int J Biol Macromol* 162, 1566 (2020)
46. S. Dadkhah and A. Gharieh, *Prog Org Coat* 189, (2024)