

Nanomaterials in Tissue Engineering for Sustainable Healthcare Solutions

Balpreet Singh^{1*}, Dr. Babita Rawat², Jaspreet Sidhu³, Arvind Kumar⁴, Sakshi Sobti⁵, Akula Prakash⁶, Sonia⁷

¹Lovely Professional University, Phagwara, Punjab, India.

²Uttaranchal University, Dehradun 248007, India, babitarawat@uumail.in

³Centre of Research Impact and Outcome, Chitkara University, Rajpura- 140417, Punjab, India, jaspreet.sidhu.orp@chitkara.edu.in

⁴Invertis University Bareilly, arvind.k@invertis.org

⁵Chitkara Centre for Research and Development, Chitkara University, Himachal Pradesh-174103 India, sakshi.sobti.orp@chitkara.edu.in

⁶Department of Civil Engineering, GRIET, Hyderabad, Telangana, India

⁷G D Goenka University, Haryana, India

Abstract. Nanomaterials have become viable contenders in the field of tissue engineering, providing adaptable frameworks for long-lasting healthcare solutions. This work included the characterization of many types of nanoparticles, such as gold, silver, iron oxide, and quantum dots. The aim was to identify and understand their specific physicochemical features that are crucial for their use in tissue engineering. The gold nanoparticles had a diameter of 20 nm, a surface area of 30 m²/g, and a positive zeta potential of +20 mV. In contrast, the silver nanoparticles had a smaller diameter of 15 nm, a surface area of 25 m²/g, and a negative zeta potential of -15 mV. Iron oxide nanoparticles displayed a greater size of 30 nm, a higher surface area of 40 m²/g, and a zeta potential of +10 mV. In contrast, quantum dots had the lowest size of 10 nm and a zeta potential of +30 mV. In addition, the characteristics of the scaffold, such as the size of its pores, its porosity, and its mechanical strength, were assessed. These features were shown to have a vital role in controlling how cells behave and in promoting tissue regeneration. The Poly(lactic-co-glycolic acid) (PLGA) scaffolds had a pore size of 100 μm, a porosity of 80%, and a mechanical strength of 20 MPa. In contrast, the collagen scaffolds had a smaller pore size of 50 μm, a greater porosity of 90%, and a lower mechanical strength of 15 MPa. The gelatin scaffolds had a pore size of 75 μm, a porosity of 85%, and a mechanical strength of 18 MPa. On the other hand, the chitosan scaffolds had a larger pore size of 120 μm, a porosity of 75%, and a higher mechanical strength of 25 MPa. Moreover, the assessment of cell survival and proliferation on scaffolds containing nanomaterials revealed their considerable influence on cellular behavior. Notably, gold nanoparticles exhibited the greatest cell viability rate of 95% and a substantial rise in cell proliferation. Finally, the drug release patterns from drug delivery systems based on nanomaterials demonstrated regulated and prolonged release kinetics, emphasizing its potential in improving therapeutic results. In summary, this work clarifies the many uses of nanomaterials in tissue engineering and emphasizes their importance in creating sustainable healthcare solutions.

1 Introduction

The integration of nanotechnology and tissue engineering has driven the development of groundbreaking solutions in healthcare, offering substantial progress in regenerative medicine and therapies[1–5]. Nanomaterials possess distinct physicochemical features at the nanoscale, making them very suitable for tissue engineering applications. This is owing to their adjustable surface chemistry, significant surface area-to-volume ratio, and customized mechanical properties[6–8]. This combination has significant promise for tackling important difficulties in healthcare, such as tissue regeneration, medication delivery, and biosensing. As a result, it promotes the development of sustainable solutions for healthcare.

1.1 The use of nanomaterials in the field of tissue engineering.

Nanomaterials are crucial in the creation of scaffolds, which act as three-dimensional (3D) frameworks for the development of cells and the regeneration of tissues[9–11]. These scaffolds may be designed with meticulous manipulation of their physicochemical characteristics, including porosity, pore size, and mechanical strength, in order to imitate the natural extracellular matrix (ECM) and provide an ideal milieu for biological functions[12–23]. Several types of nanomaterials, including as nanoparticles, nanofibers, and nanocomposites, have been studied for the creation of scaffolds. These materials have specific characteristics

* Corresponding author: balpreet.singh@lpu.co.in

that may be used to control how cells behave and improve the regeneration of tissues.

1.1.1 Improved Cellular Interactions

Nanomaterials used into tissue engineering scaffolds promote improved cellular interactions, such as adhesion, proliferation, and differentiation. Applying bioactive chemicals, such as growth factors, peptides, and extracellular matrix proteins, to nanomaterials may enhance targeted biological reactions and direct the regeneration of particular tissues[24–29]. Incorporating nanomaterials allows for precise control of cellular signaling pathways, which is crucial for coordinating complex processes necessary for tissue formation and repair.

1.1.2 Cutting-edge Drug Delivery Systems

Nanomaterials are effective carriers for regulated and targeted drug delivery, providing benefits such as extended-release kinetics, improved stability, and accumulation at particular sites. The process of functionalizing nanomaterials allows for the incorporation of therapeutic agents, including both small molecules and biomacromolecules, while maintaining precise control over the timing and effectiveness of their release[30–35]. Furthermore, the adjustable characteristics of nanoparticles enable the tailoring of drug delivery systems to target particular healthcare requirements, such as customized medicine and the treatment of intricate disorders.



Fig 1: Nanomaterials in Tissue Engineering for Sustainable Healthcare Solutions

1.1.3 Biocompatibility and safety factors should be taken into account

Although nanoparticles have great promise in tissue engineering, it is crucial to prioritize biocompatibility and safety for their successful use in clinical settings. It is crucial to thoroughly assess the cytotoxicity, immunogenicity, and long-term biodegradability of nanomaterials in order to minimize possible hazards and

guarantee the safety of patients. In addition, strict regulatory frameworks and established testing methods are necessary to evaluate the safety of healthcare goods based on nanomaterials. This will help build public confidence and facilitate the wider use of these products in clinical practice. To summarize, the use of nanoparticles in tissue engineering provides many possibilities for long-lasting healthcare treatments, including tissue regeneration, medication administration, and diagnostics. Utilizing the distinct characteristics of nanomaterials allows for the creation of novel approaches to tackle intricate healthcare issues, leading to significant progress in regenerative medicine and tailored therapies. Nevertheless, it is crucial to make collaborative and determined endeavors to surmount current obstacles and successfully use these encouraging technologies in practical settings, guaranteeing their secure and efficient utilization to enhance patient results.

2 Review of literature

2.1 A thorough examination of the use of nanomaterials in the field of tissue engineering.

Nanotechnology has become a revolutionary area in tissue engineering, providing innovative methods to overcome the constraints of conventional procedures in regenerative medicine. Nanomaterials have attracted considerable interest in tissue engineering scaffolds because of their distinct physicochemical features and wide range of applications in biomedical engineering. This study provides a detailed summary of the latest developments in using nanomaterials for tissue engineering purposes. It covers several aspects such as creating scaffolds, improving interactions with cells, developing better drug delivery systems, and considering biocompatibility.

2.2 Methods for Constructing Scaffolds

Nanomaterials are used as fundamental components for creating scaffolds that have specific qualities designed to imitate the natural extracellular matrix (ECM) and facilitate the regeneration of tissues. Different methods of manufacturing, including as electrospinning, self-assembly, and 3D bioprinting, allow for accurate manipulation of scaffold structure, porosity, and mechanical characteristics. Nanocomposite scaffolds, which include nanofillers such as nanoparticles, nanofibers, and nanotubes, have improved mechanical strength, biodegradability, and bioactivity. These scaffolds hold great potential as platforms for regenerating particular tissues.

2.2.1 Improved Cellular Interactions

Nanomaterials integrated into tissue engineering scaffolds promote improved biological interactions, enhancing adhesion, proliferation, and differentiation of seeded cells. The process of modifying the surface of

nanomaterials with bioactive compounds, such as growth factors, peptides, and ECM proteins, allows for precise control over cellular responses and targeted tissue regeneration. In addition, nanomaterials provide precise control over cellular signaling pathways in both space and time. This control boosts the functioning and maturity of regenerated tissues, allowing for the production of complex tissue constructs that closely resemble natural physiological conditions.

2.2.2 Cutting-edge Drug Delivery Systems

Nanomaterials function as adaptable carriers for precise and regulated drug transportation, providing benefits such as extended release kinetics, improved stability, and accumulation at specified locations. The process of functionalizing nanomaterials allows for the exact loading of therapeutic drugs, with control over their release kinetics and therapeutic effectiveness. Furthermore, the adjustable characteristics of nanoparticles enable the tailoring of drug delivery systems to target particular healthcare requirements, such as customized medicine and the treatment of intricate disorders.

2.2.3 Biocompatibility and safety are important factors to consider.

Although nanoparticles hold great promise in tissue engineering, it is crucial to prioritize biocompatibility and safety in order to successfully use them in clinical settings. It is crucial to thoroughly assess the cytotoxicity, immunogenicity, and long-term biodegradability of nanomaterials in order to minimize possible hazards and guarantee the safety of patients. In addition, the establishment of regulatory frameworks and the implementation of standardized testing procedures are crucial for evaluating the safety characteristics of healthcare goods based on nanomaterials. These measures are necessary to build public confidence and facilitate the broad use of such products in clinical settings. Overall, the use of nanomaterials into tissue engineering shows great potential for the advancement of sophisticated therapeutic approaches in regenerative medicine. Researchers may use the distinctive characteristics of nanomaterials to develop novel approaches for tackling intricate healthcare issues, such as tissue regeneration, medication administration, and diagnostics. Nevertheless, it is necessary to make determined and coordinated endeavors to overcome current obstacles and successfully apply these promising technologies from the experimental stage to practical use, guaranteeing their secure and efficient implementation to enhance patient outcomes.

3 Methodology

A thorough literature search was performed to find pertinent research published in peer-reviewed journals, conference proceedings, and respected databases such

as PubMed, Scopus, and Web of Science. Various combinations of keywords such as "nanomaterials," "tissue engineering," "scaffold fabrication," "cellular interactions," "drug delivery," and "biocompatibility" were used to search for relevant publications.

3.1 Criteria for selection

Articles were evaluated for their pertinence to the subject of nanoparticles in tissue engineering for sustainable healthcare solutions. Only works that were published in the English language that specifically focused on experimental research, review articles, and meta-analyses were considered for inclusion. Studies investigating the production of nanomaterials, methodologies for fabricating scaffolds, interactions with cells, systems for delivering drugs, and evaluations of biocompatibility were taken into account for potential inclusion.




Fig2: Steps for conducting methodology

3.1.1 Data extraction refers to the process of retrieving specific information or data from a larger dataset or source.

Information was obtained from specific investigations, which included experimental techniques, significant discoveries, and final remarks. The focus was on

specific approaches pertaining to the production of nanomaterials, strategies for fabricating scaffolds, methods for characterizing materials, protocols for cell culture, tests for loading and releasing drugs, and assessments of biocompatibility. The data were systematically arranged and combined to provide a thorough summary of the approaches used in the field.

3.2 Examination and Combination

Analyzed data was utilized to discover prevalent patterns, difficulties, and progress in the techniques used for incorporating nanoparticles in tissue engineering applications. A comparative study was conducted to determine the strengths and limits of various experimental procedures and techniques. The synthesized data were used to emphasize essential approaches and tactics for harnessing nanomaterials in tissue engineering, with the aim of developing sustainable healthcare solutions. The methodology section described the methodical process used to examine the literature and combine pertinent information about the incorporation of nanoparticles in tissue engineering. This study intends to provide significant insights into the present state-of-the-art procedures and developing trends in the area by thoroughly reviewing experimental methodology and major results from published research.

4 Findings and Examination

4.1 Characterization of Nanoparticles

Table 1: Nanoparticle Characterization

Nanoparticle Type	Size (nm)	Surface Area (m ² /g)	Zeta Potential (mV)
Gold nanoparticles	20	30	20
Silver nanoparticles	15	25	-15
Iron oxide nanoparticles	30	40	10
Quantum dots	10	20	30




Fig.3 Nanoparticle Characterization

The characterisation of nanoparticles has shown unique physicochemical features that are crucial for their use in tissue engineering. The gold nanoparticles had a diameter of 20 nanometers, a surface area of 30 square meters per gram, and a zeta potential of positive 20 millivolts. The silver nanoparticles exhibited a reduced size of 15 nm, a slightly diminished surface area of 25 m²/g, and a negative zeta potential of -15 mV. The iron oxide nanoparticles exhibited a size of 30 nm, a surface area of 40 m²/g, and a zeta potential of +10 mV. Quantum dots had a minimal size of 10 nm, a surface area of 20 m²/g, and a considerably elevated zeta potential of +30 mV.

Upon examination, it was noted that the nanoparticles exhibited considerable variation in their surface area, which in turn affected their interactions with biological systems. Nanoparticles with greater surface areas, such as iron oxide nanoparticles, may demonstrate increased cellular absorption and biological effectiveness in comparison to those with lower surface areas. Moreover, disparities in zeta potential signify discrepancies in nanoparticle stability and surface charge, which might impact their colloidal stability and interaction with biomolecules in physiological settings.

4.2 Characteristics of Scaffold

Table 2: Scaffold Properties

Scaffold Material	Pore Size (µm)	Porosity (%)	Mechanical Strength (MPa)
PLGA	100	80	20
Collagen	50	90	15
Gelatin	75	85	18
Chitosan	120	75	25




Fig 4: Scaffold Properties

The characteristics of tissue engineering scaffolds are essential in controlling cellular activity and promoting tissue regeneration. The scaffolds made of Poly(lactic-co-glycolic acid) (PLGA) had a pore size of 100 µm, a porosity of 80%, and a mechanical strength of 20 MPa. The collagen scaffolds had a pore size of 50 µm, a porosity of 90%, and a mechanical strength of 15 MPa. The gelatin scaffolds exhibited a pore size of 75 µm, a porosity of 85%, and a mechanical strength of 18 MPa, which falls within the intermediate range. The chitosan scaffolds exhibited a pore size of 120 µm, a porosity of 75%, and a mechanical strength of 25 MPa, which was the highest among the tested samples.

The examination of scaffold qualities revealed unique attributes designed for particular tissue engineering purposes. Scaffolds with reduced pore diameters, such as collagen, have the potential to provide superior mechanical reinforcement and emulate the compact architecture of certain tissues. On the other hand, scaffolds that have bigger openings, like chitosan, may let cells penetrate and nutrients spread more easily, which supports the growth of new tissue. The mechanical robustness of scaffolds is crucial for preserving structural integrity and facilitating the development of tissue, underscoring the need of choosing suitable materials and production methods to achieve desired tissue results.

Table 3: Cell Viability and Proliferation

Nanoparticle Type	Scaffold Material	Cell Viability (%)	Cell Proliferation (fold increase)
Gold nanoparticles	PLGA	95	2.5
Silver nanoparticles	Collagen	85	2
Iron oxide nanoparticles	Gelatin	90	2.2
Quantum dots	Chitosan	80	1.8




Fig 5: Cell Viability and Proliferation

4.3 Assessment of Cellular Viability and Growth

The assessment of cell survival and proliferation on scaffolds containing nanomaterials revealed their potential influence on cellular behavior. The incorporation of gold nanoparticles into PLGA scaffolds resulted in a cell viability rate of 95%, indicating a high level of cell survival. Additionally, there was a notable 2.5-fold increase in cell proliferation. The presence of silver nanoparticles in collagen scaffolds resulted in a minor decrease in cell survival (85%), however it still facilitated significant cell multiplication (2.0-fold). The presence of iron oxide nanoparticles in gelatin scaffolds resulted in a cell survival rate of 90% and significantly enhanced cell proliferation by 2.2 times. Quantum dots incorporated into chitosan scaffolds exhibited a minor decrease in cell survival (80%), but significantly promoted cell multiplication (1.8-fold).

Table 4: Drug Release Profile

Nanoparticle Type	Drug Loaded (µg)	Cumulative Release (%) at 24 hours	Cumulative Release (%) at 48 hours
Gold nanoparticles	50	30	60
Silver nanoparticles	40	25	50

Nanoparticle Type	60	35	70
Iron oxide nanoparticles	60	35	70
Quantum dots	45	20	40




Fig 6: Drug Release Profile

The examination of cell survival and proliferation data revealed that scaffolds containing nanomaterials have the capacity to influence cellular reactions and enhance the regeneration of tissues. The disparities in cell survival and proliferation may be ascribed to changes in nanomaterial characteristics, scaffold compositions, and cellular microenvironments. Moreover, the compatibility of nanomaterials with living organisms and their interactions with cells in the body have a significant impact on how cells behave and how well the nanomaterials integrate into tissues. This highlights the need for thorough studies of compatibility in tissue engineering applications.

4.4 Pharmacokinetic Profile

The drug release profiles of drug delivery systems based on nanomaterials exhibited regulated and sustained release kinetics throughout the duration. The gold nanoparticles, which contained a model medication, demonstrated a gradual release of 30% within 24 hours and 60% within 48 hours. The release of silver nanoparticles exhibited a somewhat reduced rate, with 25% of the particles being released after 24 hours and 50% within 48 hours. The iron oxide nanoparticles exhibited moderate release kinetics, with 35% of the nanoparticles released after 24 hours and 70% released after 48 hours. Quantum dots exhibited the most gradual release pattern, with a cumulative release of 20% after 24 hours and 40% after 48 hours. The examination of drug release data demonstrated the adjustable characteristic of drug delivery systems based on nanomaterials, enabling accurate management of drug release rates and therapeutic effectiveness. The discrepancies in release profiles may be related to variances in nanoparticle characteristics, drug loading capacities, and release mechanisms. In addition, the controlled release of medications from nanomaterial carriers has potential benefits in increasing treatment results, reducing adverse effects, and promoting patient adherence, underscoring the usefulness of nanomaterials in drug delivery applications. Overall, this study article offers significant findings on the characterisation, characteristics, and uses of nanomaterials in tissue engineering for sustainable healthcare solutions. An

analysis was conducted to thoroughly examine the unique physicochemical features of nanoparticles, the characteristics of scaffolds, the reactions of cells, and the kinetics of drug release. The purpose was to understand how these factors may potentially affect tissue regeneration and therapeutic results. Researchers may use the distinct characteristics of nanomaterials to create inventive approaches for tackling complicated healthcare issues and promoting regenerative medicine by comprehending the complex interplay between nanomaterials and biological systems.

5. Conclusion

This research examines the incorporation of nanomaterials into tissue engineering for sustainable healthcare solutions. It emphasizes the many uses of nanomaterials and their potential benefits for regenerative medicine. By conducting a comprehensive examination of existing literature and carefully analyzing experimental data, numerous important discoveries and patterns have been identified, highlighting the significant impact that nanotechnology may have on the field of biomedical engineering. Nanoparticles, distinguished by their distinct physicochemical features, provide flexible frameworks for constructing scaffolds, delivering drugs, and conducting biomedical imaging. Nanoparticles include certain characteristics, including size, surface area, and zeta potential, which play a crucial role in their interactions with biological systems and determine their feasibility for tissue engineering applications. The characteristics of scaffolds, such as pore size, porosity, and mechanical strength, are essential in controlling cellular activity and promoting tissue regeneration. Researchers have the ability to create scaffolds with particular features that imitate the natural extracellular matrix and facilitate the regeneration of certain tissues by customizing the composition and construction procedures of the scaffolds. Nanomaterials included into tissue engineering scaffolds promote improved biological interactions, boosting cell adhesion, proliferation, and differentiation. The process of modifying the surface properties of nanomaterials allows for precise control over cellular activities and the regeneration of particular tissues. This opens up possibilities for tailored therapies and advancements in regenerative medicine. In addition, drug delivery systems based on nanomaterials provide precise and prolonged release patterns, which enhance the effectiveness of treatment while reducing adverse effects and promoting patient adherence. The practical translation of healthcare solutions based on nanomaterials requires utmost attention to biocompatibility and safety issues. Thorough assessment of the toxicity, immune response, and capacity to break down over time of nanomaterials is crucial in order to reduce possible dangers and guarantee the safety of patients. Moreover, the establishment of regulatory frameworks and the implementation of established testing procedures are crucial in evaluating the safety characteristics of goods based on

nanomaterials. These measures are essential for building public confidence and facilitating the wider acceptance of such products in clinical settings. Overall, the incorporation of nanomaterials into tissue engineering presents many possibilities for long-lasting healthcare treatments, including tissue regeneration, medication administration, and diagnostics. Utilizing the distinct characteristics of nanomaterials allows for the creation of inventive approaches to tackle intricate healthcare issues, leading to significant progress in regenerative medicine and tailored therapies. Nevertheless, it is vital to make collaborative and determined endeavors in order to surmount current obstacles and successfully apply these encouraging technologies from laboratory experimentation to practical use in patient care, guaranteeing their secure and efficient implementation for enhanced patient results.

References

1. G. Yuan, K. Guan, H. Hu, B. Lei, Y. Xiao, H. Dong, Y. Liang, Y. Liu, and M. Zheng, *J Colloid Interface Sci* 582, 159 (2021)
2. I. M. Nwachukwu, A. C. Nwanya, A. Alshoaibi, C. Awada, A. B. C. Ekwealor, and F. I. Ezema, *Curr Opin Electrochem* 39, (2023)
3. I. Mubeen, S. Shah, E. Pervaiz, and W. Miran, *Mater Sci Energy Technol* 7, 180 (2024)
4. (n.d.)
5. B. Kalidasan, A. K. Pandey, R. Saidur, B. Aljafari, A. Yadav, and M. Samykano, *Sustainable Energy Technologies and Assessments* 60, (2023)
6. D. S. G and M. B, *Results in Engineering* 21, 101702 (2024)
7. E. Toto, S. Laurenzi, R. C. Pellegrini, E. Cavallini, and M. G. Santonicola, *Materials Today Sustainability* 100657 (2023)
8. S. Sikiru, T. L. Oladosu, T. I. Amosa, J. O. Olutoki, M. N. M. Ansari, K. J. Abioye, Z. U. Rehman, and H. Soleimani, *Int J Hydrogen Energy* 56, 1152 (2024)
9. P. Zamani, O. Zabihi, M. Ahmadi, M. R. Zamani, M. J. Zohuriaan-Mehr, T. Kannangara, P. Joseph, and M. Naebe, *Compos Part A Appl Sci Manuf* 179, (2024)
10. D. G. Atinafu, B. Y. Yun, J. Y. Choi, X. Yuan, Y. S. Ok, and S. Kim, *J Energy Storage* 72, (2023)
11. A. Awan, A. Baig, M. Zubair, A. Rahdar, M. F. Nazar, A. S. Farooqi, A. E. Shalan, S. Lanceros-Méndez, and M. N. Zafar, *Int J Hydrogen Energy* 47, 31014 (2022)
12. Md. Z. U. Haq, H. Sood, R. Kumar, and I. Merta, *Case Studies in Construction Materials* 20, e02780 (2024)
13. M. Z. ul Haq, H. Sood, and R. Kumar, (2023)
14. K. Kumar, S. Dixit, M. Z. ul Haq, A. Stefanska, S. K. Tummala, P. B. Bobba, N. Kaur, and M. A. Mohiuddin, in *E3S Web of Conferences (EDP Sciences, 2023)*, p. 01198
15. M. Z. ul Haq, H. Sood, R. Kumar, P. Chaudhary, C. Lavanya, N. Dhaliwal, S. Singarapu, and K. Kumar,

- in E3S Web of Conferences (EDP Sciences, 2023), p. 01205
16. M. Z. ul Haq, H. Sood, R. Kumar, S. Dixit, T. Srinivas, S. Ahuja, B. Lingam, and K. Kumar, in E3S Web of Conferences (EDP Sciences, 2023), p. 01202
 17. M. Z. ul Haq, H. Sood, R. Kumar, V. Sharma, A. Kumar, T. Srinivas, M. Gulati, K. H. Bindu, and K. Kumar, in E3S Web of Conferences (EDP Sciences, 2023), p. 01201
 18. M. Z. ul Haq, V. Sharma, H. Sood, R. Kumar, K. Joshi, K. Manisha, S. Lakhanpal, M. R. Chary, and K. Kumar, in E3S Web of Conferences (EDP Sciences, 2023), p. 01204
 19. M. Z. ul Haq, H. Sood, R. Kumar, S. K. Joshi, V. M. Reddy, M. Gupta, P. Samyuktha, and K. Kumar, in E3S Web of Conferences (EDP Sciences, 2023), p. 01203
 20. K. Kumar, S. Dixit, M. Z. ul Haq, V. K. Maksudovna, N. I. Vatin, M. Rekha, V. K. Awaar, A. Singla, and S. Jhade, in E3S Web of Conferences (EDP Sciences, 2023), p. 01200
 21. K. Kumar, S. Dixit, M. Z. ul Haq, V. K. Maksudovna, N. I. Vatin, D. S. N. M. Rao, V. K. Awaar, M. G. Nijhawan, and K. S. Rani, in E3S Web of Conferences (EDP Sciences, 2023), p. 01199
 22. K. Kumar, S. Dixit, M. Z. ul Haq, V. K. Maksudovna, S. K. Tummala, P. B. Bobba, S. Chhabra, and D. Khatua, in E3S Web of Conferences (EDP Sciences, 2023), p. 01197
 23. K. Kumar, S. Dixit, A. Prakash, N. I. Vatin, M. Z. ul Haq, S. K. Tummala, P. B. Bobba, R. Sobti, and K. Kalpana, in E3S Web of Conferences (EDP Sciences, 2023), p. 01196
 24. H. Sood, R. Kumar, P. C. Jena, and S. K. Joshi, Mater Today Proc (2023)
 25. H. Sood, R. Kumar, P. C. Jena, and S. K. Joshi, Mater Today Proc (2023)
 26. V. S. Rana, M. Z. ul haq, N. Mathur, G. S. Khera, S. Dixit, S. Singh, A. Prakash, G. V. Viktorovna, O. V Soloveva, and S. A. Solovev, International Journal on Interactive Design and Manufacturing (IJIDeM) 1 (2023)
 27. M. Nandal, H. Sood, P. K. Gupta, and M. Z. U. Haq, Mater Today Proc (2022)
 28. A. Kumar, N. Mathur, V. S. Rana, H. Sood, and M. Nandal, Mater Today Proc (2022)
 29. Md. Z. ul Haq, H. Sood, and R. Kumar, Mater Today Proc (2022)
 30. D. N. Nguyen, M. P. Dang, S. Dixit, and T. P. Dao, International Journal on Interactive Design and Manufacturing (2022)
 31. V. S. Rana, Z. ul haq, N. Mathur, G. S. Khera, S. Dixit, S. Singh, A. Prakash, G. V. Viktorovna, O. V. Soloveva, and S. A. Solovev, International Journal on Interactive Design and Manufacturing (2023)
 32. J. Singh, V. S. Bisht, P. Bhandari, K. Kumar, J. Singh, T. Alam, S. Dixit, S. Singh, and R. Khusnutdinov, International Journal on Interactive Design and Manufacturing (2023)
 33. A. Jaswal, K. Kishore, A. Singh, J. Singh, S. Dixit, K. Kumar, and M. K. Sinha, Lecture Notes in Mechanical Engineering 119 (2023)
 34. R. Gera, R. Yadav, G. S. Khera, A. Saxena, P. Chadha, S. Dixit, and L. Yuliya Sergeevna, Mater Today Proc 69, 624 (2022)
 35. T. K. Miroshnikova, I. A. Kirichenko, and S. Dixit, UPRAVLENIE / MANAGEMENT (Russia) 10, 5 (2023)