

# Comparative analysis of compressed air production equipment

*Anna Glinskaya*<sup>1\*</sup>, *Vadim Tynchenko*<sup>1,2,3</sup>, *Oksana Kukartseva*<sup>1,2</sup>, *Elena Supran*<sup>1</sup>, and *Alena Nizameeva*<sup>2</sup>

<sup>1</sup>Reshetnev Siberian State University of Science and Technology, 31, Krasnoyarsky Rabochny Avenue, Krasnoyarsk, 660000, Russia

<sup>2</sup>Siberian Federal University, 79, Svobodny Avenue, Krasnoyarsk, 660041, Russia

<sup>3</sup>Bauman Moscow State Technical University, 2-ya Baumanskaya Street, 5/1, Moscow, 105005, Russian Federation

**Abstract.** In this paper the main devices for the production of compressed air - compressors are considered. The text describes their classification according to the principle of operation and principles of operation, which shows one of the principle air circuits of the compressor system with an electric circuit control of the electric drive of the compressor on ships with the complex automation of the power plant. And also in our work provides a comparison of different models of built compressors to determine which compressors are needed for more comfortable and safe operation. Consequently, they noted the main advantages and disadvantages of the models under consideration. I would also like to note that compressors and compression equipment are used everywhere. It is used in all branches of industry, in construction work, car repair, food production, agriculture, as well as in any other activities of the modern man. Learn how compress or sand compression equipment work.

## 1 Introduction

A compressor is a machine that compresses air or another gas and delivers it to a tool, essentially serving as a power source [1-3].

Despite the widespread use of electricity, tools powered by compressed air, known as pneumatic tools, remain popular today [4]. This is due to several advantages: they perform well in high humidity, are simple and reliable, have high wear resistance and long lifespan, and have a low weight-to-power ratio, meaning they deliver significant impact despite their lightweight design [5].

Compressors are widely used in various industries, including mechanical engineering, automotive repair shops, construction, and even the food industry [6-10]. Each of these industries features a diverse range of pneumatic tools. The compressed air or gas is transported through flexible hoses from the compressor to the tool, activating it [11-15]. The purpose of this article is to consider different compressors for the production of compressed air on the example of different models of compressors [16-18].

---


\* Corresponding author: [anna\\_glinskaja@rambler.ru](mailto:anna_glinskaja@rambler.ru)

## 2 Materials and methods

Compressors are used to fill cylinders with compressed air, which is necessary for starting main and auxiliary diesel engines.

A wide variety of compressor designs are currently used on the world fleet, but all combine the general principles of compressor design and operating principles [19-21].

Figure 1 shows one of the main air circuits of the compressor system with electrical control circuit of the electric drive of the compressor on ships with complex automation of the power plant [22-24].



**Fig. 1.** Compressor air system: 1 - two-stage compressor; 2-oil separator; 3 - non-return valve; 4 - air cylinder; 5 - relief valve; 6 - compressed air flow valve; 7 - purge valve; 8 - mud trap; 9, 10 - compressor first and second stage discharge lines respectively; S1, S2 and S5 - solenoid drainage valves; S4 - solenoid cooling water supply valve; E4 - relay start and stop compressor pressure inlet; E3 -compressor stop switch when the cooling water temperature is exceeded; T - thermometer; «A» and «B» - input and output of cooling water.

To control the operation of the compressor, pressure gauges and compressor protection elements are installed on each stage system - safety valves that unload the compressor when the air pressure suddenly increases [25-27].

The compressor electric motor shall be started as follows: After pressing the start control button, the control panel in the wheelhouse or in the engine room feeds the contactor coil and closes its contacts so that the E4 relay is powered and the compressor motor is running. At the same time, the solenoid drains valves S1, S2 are powered, and the valves are opened for drainage and purging of the compressor from moisture and for unloading them keep them open at start-up. So the coil-relay of the solenoid water supply valve is powered [28].


In previous discussions, we explored two fundamental principles of air compression: dynamic compression and volumetric compression. These principles form the basis for classifying compressors into two main categories:

- Volumetric compressors.
- Dynamic Compressors.

In volumetric compressors, compression occurs through a sequential process where the working chamber is first filled with gas, and then the gas is compressed by forcefully reducing the chamber's volume. To prevent the compressed medium from flowing back, a system of control valves is used, which open alternately during the filling and discharge phases of the chamber. The mechanical design of volumetric compressors can vary, leading to their classification into different types.

Piston compressors clearly exemplify the principle of volumetric compression. The movement of the piston within a cylinder, driven by a connecting rod mechanism, results in a continuous change in the internal volume of the working chamber. One-way valves prevent the working medium from leaking in the reverse direction (Figure 2, a).

Screw compressors, on the other hand, include one or more screws in their design to provide air injection (Figure 2, b) [29].




**Fig. 2.** Piston compressors (a) and screw compressors (b).

Pinion. The work of units of this type is provided by a pair of gears, which are in contact with each other and which rotate in opposite directions. Depending on the compressor model, such gears can have different versions, including those in the form of toothed wheels (Figure 3, a). The service life of the unit is 15-20 years. Lubricants are used to reduce the wear of moving parts. The apparatus shall be used in areas, where a low pressure gas supply is required.

Rotary plate (rotary). Rotary-plate compressors utilize a unique design to achieve air compression. A rotor with a set of movable plates rotates within a cylindrical stator. The key feature is that the rotor's axis is offset from the stator's axis. This offset causes centrifugal force to push the plates away from the center and against the inner wall of the stator. This creates individual working compartments within the compressor, each enclosed by the rotor housing and adjacent plates. These compartments are where the air is compressed.

To enhance the pressing of the plates against the stator, special springs can be incorporated (Figure 3, b). Oil, utilized for lubrication and cooling, also functions to seal the gaps between the rotor, stator, and end caps.

Rotary vane compressors are recognized for their quiet operation, compact size, and capability to produce high output pressure. Their reliability is attributed to their design, which includes a minimal number of moving parts, the elimination of axial loads, and effective lubrication.



**Fig. 3.** Gear compressors (rotary) (a) and rotary plate compressors (rotary) (b).


Membrane. The design of the membrane apparatus contains a special elastic membrane, which acts as a piston. By bending in different directions, the polymer membrane increases or decreases the volume of the working chamber in which the air compression process takes place. In this case, the working medium in the compression process is in contact only with the chamber and the membrane, so the compressed air at the output does not contain oils and moisture (Figure 4, a).

Liquid-ring compressors utilize an auxiliary liquid to achieve compression. The design features a cylindrical body within which plates are mounted with an offset axis relative to the stator axis.

The auxiliary liquid is poured into the shell. As the stator rotates, centrifugal force pushes the liquid outward, forming a ring against the body's walls. This ring acts as a dynamic seal. The volume of the working chambers changes as the rotor and stator axes shift, resulting in the compression of the air (Figure 4, b).

In units of this type, the working medium is always in contact with auxiliary fluid, so it is necessary to include a separator and filters purifying compressed air in the pneumatic network.

Main application: Pumping and compression of all dry and wet gases with an associated flow of liquids.




**Fig. 4.** Membrane compressor (a) and liquid ring compressors (b).

Spiral compressors operate using the interaction of two spirals: a stationary stator spiral and a rotating spiral that moves eccentrically (Figure 5). This distinctive configuration enables the efficient transfer of gas from the suction zone to the compression zone.

Advantages include a low motor load, even at startup, as well as low noise and vibration levels.

Scope of application: heat pumps, research laboratories, automotive, pneumatic systems in production.

Spiral compressor is a volume compression device of gas.



**Fig. 5.** Scroll compressors.

Dynamic compressors can be categorized into three main groups:

These compressors are named for the radial movement of the working medium. They consist of a housing that contains a working wheel mounted on a shaft. As the wheel rotates, the blades within it propel the gas outward from the axis in a radial direction. This process increases the kinetic energy of the gas, which is then partially converted into pressure energy.


Radial compressors can feature either open or closed blades (Figure 6, a). They are known for their quiet operation, compact size, and resistance to vibrations, making them ideal for producing large volumes of clean compressed air.

Application: aeration, pneumatic transport, ventilation, etc. [7].

Axial. A rotor is mounted on the shaft inside the compressor body. When the unit is activated, the incoming air moves axially, passing through a series of blades where it is compressed. The gas then reaches an area with rows of guiding blades that stabilize its direction and direct it out through the guide vanes (Figure 6, b).

Axial compressors are more complex to design compared to jet or radial machines, but they offer higher efficiency at the same air pressure.


Application: metallurgy, gas turbine installations, aircraft industry.



**Fig. 6.** Radial (centrifugal) compressors (a) and axial compressors (b).

Jet compressors function as ejectors, using the energy of a high-pressure gas (active gas) to increase the pressure of a lower-pressure gas (passive gas). The compressor combines two gas streams - one at high pressure and the other at low pressure - at the inlet, and delivers a single stream at a mid-range working pressure at the outlet (Figure 7).

Jet compressors find application where high-pressure gas is readily available. They are commonly used in gas fields and chemical plants.



**Fig. 7.** Jet compressors.

### 3 Result and discussion

Compressors have a wide range of applications as well as a wide variety of models that differ in design. To analyze the instruments for all parameters - the task is not simple, but

after highlighting a number of main characteristics, the aggregate rating with their main advantages and disadvantages was compiled, presented in Table 1.

**Table 1.** Main advantages and disadvantages of compressor models.

Compressor	Benefits	Drawbacks
Piston compressor C416M ACO Bezhetsk.	Durability, high performance, ability to operate at a pressure of 7 / 13 bar.	High price.
Remeza SB4/F-500.LB75 reciprocating compressor.	Efficiency, assembly quality, operation safety.	High price.
RENNER RS-H 15/20-490 screw compressor station	Large receiver volume, compact, low noise.	Overprice
Piston compressor NORDBERG NC150/480	High performance, service life, shock-proof painting.	High price.
Piston compressor FIAC SB4/F-270	High performance service life, shock-proof painting.	Manufacturer's warranty, price.
Screw compressor IRONMAC IC 10/10	High motor power, long life. Engine power, dimensions, price.	No frequency drive, no receiver.
Berg Screw Compressor VK-4P 8 (IP54)	Bel drive type, low noise, reliability.	Low maximum pressure, high price
Reciprocating compressor Remeza SB4/F-500.LB75	High power and performance, good pressure guarantee.	High price, no desiccant

Table 2 compares these compressors according to their performance.

**Table 2.** Comparing Different Compressor Models.

Compressor	Productiveness	Receiver tank	Pressure
Piston compressor C416M ACO Bezhetsk.	1350 l/min	430 l	10 bar.
Remeza SB4/F-500.LB75 reciprocating compressor.	950 l/min	500 l	10 bar.
RENNER RS-H 15/20-490 screw compressor station	1,320 l/min	490 l	20 bar.
Piston compressor NORDBERG NC150/480	476 l/min	150 l	10 bar
Piston compressor FIAC SB4/F-270	830 l/min	270 litres	16 bar.
Screw compressor IRONMAC IC 10/10	960 l/min	leave.	10 bar.
Berg Screw Compressor VK-4P 8 (IP54)	550 l/min	leave.	8 bar.
Reciprocating compressor Remeza SB4/F-500.LB75	950 l/min	500 l	10 bar.

## 4 Conclusion

In this article, various compressor models were considered, their main advantages and disadvantages were indicated using the example of reciprocating and screw compressors. The results of the study were presented in tables. The most expensive compressors under consideration are Piston compressor C416M ACO Bezhetzk, Remeza SB4/F-500.LB75 reciprocating compressor, Piston compressor NORDBERG NC150/480 and Reciprocating compressor Remeza SB4/F-500.LB75, but they are also the most productive. You can choose an air compressor by answering the question for what purposes it is needed. The simplest models make household life easier; they are suitable for pumping tires or painting a fence. More powerful ones will be effective both in personal and industrial use, they will help to paint the car and will be useful during repairs. Professional units are suitable for large volumes of work.

## References

1. V. O. Gutarevich et al., Applied Sciences **13(8)**, 4671 (2023)
2. V. Vasileva et al., E3S Web of Conferences **458**, 09021 (2023)
3. A. Gladkov et al., E3S Web of Conferences **433**, 01007 (2023)
4. V. Orlov et al., E3S Web of Conferences **458**, 09019 (2023)
5. O. A. Kolenchukov et al., SOCAR Proceedings **1**, 123-130 (2023) DOI: <http://dx.doi.org/10.5510/OGP20230100814>
6. V. V. Kukartsev, S. A. Zamolockiy, V. V. Khramkov, News of the Tula State University. Sciences of Earth **2023** (3), 101-111 (2023)
7. A. S. Borodulin et al., *Analyzing data by applying neural networks to identify patterns in the data*, in Proceedings of the Computational Methods in Systems and Software, pp. 99-108, Cham, Springer Nature Switzerland (2023)
8. V. Kukartsev et al., *Intelligent data analysis as a method of determining the influence of various factors on the level of customer satisfaction of the company*, in Proceedings of the Computational Methods in Systems and Software, pp. 109-128, Cham, Springer Nature Switzerland (2023)
9. V. Nelyub et al., E3S Web of Conferences **431**, 05014 (2023)
10. I. I. Bosikov et al., Fire **6(3)**, 95 (2023)
11. B. V. Malozyomov et al., Energies **16(9)**, 3909 (2023)
12. D. M. Strateichuk et al., Crystals **13(5)**, 825 (2023)
13. V. A. Rezanov, et al., Metals **12(12)**, 2135 (2022)
14. V. A. Kukartsev et al., Metals **13(2)**, 337 (2023)
15. Ya. A. Tynchenko, V. V. Kukartsev, A. A. Gladkov, T. A. Panfilova, Sustainable Development of Mountain Territories **16(1)**, 56–69 (2024) DOI: 10.21177/1998-4502-2024-16-1-56-69
16. V. V. Kukartsev, K. I. Kravtsov, Ya. A. Tynchenko, T. A. Panfilova, Sustainable Development of Mountain Territories **15(3)**, 784-797 (2023)
17. K. K. Yelemessov et al., Sustainable Development of Mountain Territories **15(2)**, 450-461 (2023) DOI: 10.21177/1998-4502-2023-15-2-450-461.
18. V. Brigida et al., Resources **13(2)**, 33 (2024)
19. B. V. Malozyomov et al., World Electric Vehicle Journal **15(2)**, 64 (2024)

20. A. A. Sokolov et al., MIAB. Mining Inf. Anal. Bull. **2023(11-1)**, 278-291 (2023) DOI: 10.25018/0236\_1493\_2023\_111\_0\_278
21. V. O. Gutarevich et al., MIAB. Mining Inf. Anal. Bull. **2023(11-1)**, 72-87 (2023) DOI: 10.25018/0236\_1493\_2023\_111\_0\_72
22. K. Degtyareva et al., *Finding patterns in employee attrition rates using self-organizing Kohonen maps and decision trees*, in Proceedings of the 2023 International Conference on Innovative Computing, Intelligent Communication and Smart Electrical Systems (ICSES), pp. 1-6, IEEE (2023)
23. A. Gladkov et al., *Development of Requirements for AIS Aimed at Controlling High Turnover*, in Proceedings of the 2023 IEEE International Conference on Computing (ICOCO), pp. 232-236, IEEE (2023)
24. Y. Zhilkina et al., E3S Web of Conferences **458**, 05016 (2023)
25. V. V. Kukartsev et al., E3S Web of Conferences **460**, 07003 (2023)
26. A. Kozlova et al., E3S Web of Conferences **431**, 05032 (2023)
27. V. Kukartsev et al., E3S Web of Conferences **458**, 01010 (2023)
28. B. V. Malozyomov et al., Energies **16(11)**, 4276 (2023)
29. B. V. Malozyomov et al., Micromachines **14(7)**, 1288 (2023)