Energy-Efficient Digital Twins for Circular Economy Implementation

Abderrahman MANSOURI [1,2] *, *Idriss BENNIS* [1], *Ali SIADAT* [2] *and Fatiha AKEF* [1]

[1]Modeling and Simulation of Intelligent Industrial Systems Laboratory (M2S2I), ENSET Mohammedia, Hassan II University, Casablanca, Morocco
[2]Laboratory of Design, Manufacturing, and Control, Arts et Metiers ParisTech, Metz Campus, 57070 Metz, France

Abstract. As industries accelerate their transition toward sustainability, integrating energy efficiency into Circular Economy (CE) strategies becomes a key priority. Digital Twins (DTs) are virtual counterparts of physical systems that enable real-time monitoring, simulation, and optimization of energy performance across product life cycles. This paper proposes a structured framework that integrates DT technology, Artificial Intelligence (AI), and predictive analytics to enhance energy efficiency and circularity in industrial operations. The proposed model enables real-time data collection, simulation, and decision-making for sustainable production and end-of-life management. A simulated manufacturing process demonstrates that DT-based optimization can achieve energy reductions of approximately 10–12% while improving recycling and reuse metrics. The framework aligns with ISO 50001 standards and the EU Circular Economy Action Plan, providing a practical path for scaling digital sustainability tools in manufacturing.

Keywords— Digital Twin, Circular Economy, Energy Efficiency, Sustainability, Industry 4.0, Artificial Intelligence

1 Introduction

The global transition toward sustainability compels industries to adopt innovative strategies that enhance resource efficiency and reduce environmental burdens. Within this paradigm, the Circular Economy (CE) has emerged as a transformative model promoting resource recirculation, product lifetime extension, and waste minimization [1]–[4]. By emphasizing closed-loop material flows and regenerative production systems, CE seeks to decouple economic growth from resource consumption [5].
However, despite significant research and policy efforts, the explicit integration of energy efficiency within CE frameworks remains underdeveloped. Many CE initiatives still focus primarily on material recovery and waste management, neglecting the energy dimension that

* Corresponding author: abderrahman.mansourii@gmail.com

strongly influences environmental and economic performance [6], [7]. Bridging this gap requires digital tools capable of monitoring, analyzing, and optimizing both resource and energy flows in real time.
Among the technological enablers of Industry 4.0, the Digital Twin (DT) concept offers exceptional potential to meet this need. A DT is a virtual representation of a physical system that continuously mirrors its state through data connectivity, simulation, and predictive analytics [8]. In manufacturing and logistics, DTs have proven effective for predictive maintenance, production scheduling, and operational optimization [9], [10]. By leveraging real-time data and Artificial Intelligence (AI) techniques, DTs can dynamically optimize process parameters, reduce energy losses, and support decision-making toward sustainable production [11], [12].
Despite these advances, current implementations rarely exploit DTs as integrated tools for energy-efficient circular manufacturing. Existing models tend to focus either on production performance or lifecycle management, leaving a methodological gap in combining energy optimization with circularity metrics [13], [14]. Moreover, the absence of alignment with recognized sustainability frameworks—such as ISO 50001 for energy management and the European Union Circular Economy Action Plan (2020)—limits the scalability and policy relevance of existing approaches [15].
To address these gaps, this paper proposes a comprehensive framework integrating energy-efficient Digital Twin technology into Circular Economy implementation. The framework leverages AI-driven predictive analytics and lifecycle modeling to optimize energy use and material efficiency throughout the product lifecycle—from design and manufacturing to recovery and end-of-life phases. An illustrative industrial case demonstrates that DT-based optimization can yield measurable reductions in energy consumption and improvements in circular performance indicators.

Unlike previous DT–CE approaches, the proposed framework explicitly links energy efficiency with circularity metrics through an integrated AI-assisted architecture, contributing a novel perspective to sustainable manufacturing research.
The remainder of this paper is structured as follows: Section II reviews the state of the art on Circular Economy, Industry 4.0, and Digital Twin technologies; Section III presents the proposed framework and its architecture; Section IV describes an illustrative case study; Section V discusses implications, limitations, and scalability; and Section VI concludes with perspectives for future research and industrial applications.

2 LITERATURE REVIEW AND RESEARCH GAP

The Circular Economy (CE) has gained growing attention as a cornerstone of sustainable industrial transformation, emphasizing the regeneration of resources, reduction of waste, and preservation of value across product lifecycles [1]–[5]. Yet, as several studies underline, CE research often remains conceptually fragmented, with limited operationalization at the factory level where energy efficiency and material recovery interact directly [6], [7].
Digitalization under Industry 4.0 is considered a major enabler of CE implementation [8], [9]. Smart technologies such as the Internet of Things (IoT), cloud computing, and Artificial Intelligence (AI) enable continuous data exchange, process optimization, and resource monitoring, fostering intelligent production ecosystems [10]. Within this digital transition, the Digital Twin (DT) has emerged as a disruptive technology capable of integrating physical and virtual systems through real-time data synchronization [11], [12].
In the manufacturing context, DTs have demonstrated notable success in predictive maintenance, process optimization, and lifecycle management. Studies show that DT-based simulations can significantly improve reliability and reduce resource consumption in multi-

unit systems [13], [14]. Other works emphasize the use of DTs as decision-support systems for production control and performance enhancement [9], [10].
Despite this progress, current DT applications remain predominantly performance-oriented, lacking a comprehensive connection to energy efficiency and CE metrics [8], [9], [15], [16]. Moreover, only a few models explicitly integrate AI-driven decision-making into DT architectures for sustainability-oriented optimization [17], [18]. From a sustainability perspective, several studies have highlighted the potential of combining AI-based analytics with DTs to achieve efficient energy management and resource recovery [19]. These approaches can predict consumption peaks, identify inefficiencies, and optimize resource allocation, yet they rarely embed circularity indicators—such as recyclability, material recovery rate, or product lifetime extension—within the same decision models [20].

Furthermore, alignment with international standards and policy frameworks remains insufficient. The ISO 50001 standard establishes key principles for energy management systems, yet its implementation within digital manufacturing environments is still emerging [21]. Similarly, the European Circular Economy Action Plan (2020) sets macro-level objectives but lacks operational tools that connect DT technologies with measurable CE performance [22].
This fragmentation leads to a clear research gap: existing literature lacks an integrated model that unifies energy optimization, circularity assessment, and AI-driven decision support within a single DT framework. Addressing this gap requires a systemic architecture that can dynamically quantify and optimize both energy and material efficiency throughout the product lifecycle.
In response, this paper proposes a Digital Twin-based framework designed to operationalize CE principles in energy-intensive industries. The framework combines real-time data acquisition, AI-based predictive analytics, and lifecycle-based sustainability indicators to enable continuous improvement in both energy efficiency and circular performance.

3 PROPOSED FRAMEWORK

3.1 Digital Twin Architecture

The proposed framework is structured around a Digital Twin (DT) architecture designed to virtually replicate the physical production system and enable real-time decision support. It consists of three interconnected layers:

- **Physical layer** – comprising IoT sensors and data-acquisition devices that collect process variables such as energy consumption, equipment status, and environmental conditions.
- **Data-integration layer** – ensuring secure transmission, preprocessing, and storage of information through cloud-edge computing infrastructure for low-latency analytics.
- **Virtual analytical layer** – using simulation, machine-learning models, and predictive algorithms to mirror the system's dynamic behaviour and evaluate alternative operating scenarios.

This architecture establishes continuous synchronization between the physical and virtual spaces, allowing adaptive responses to changing operational and environmental conditions [12]–[15]. The DT therefore functions not only as a monitoring tool but as an intelligent control interface that supports optimization across energy, production, and sustainability dimensions.

3.2 Energy Efficiency and Circularity Integration

At the core of the proposed framework lies the dual integration of energy-efficiency indicators and circular-economy (CE) metrics. The DT continuously monitors consumption patterns and operational states throughout the product or process lifecycle. Using supervised-learning algorithms such as Random Forest (RF) and Support Vector Machines (SVM), it predicts energy demand, detects anomalies, and identifies inefficiencies in production or equipment usage.
Based on these predictions, the DT recommends corrective actions—such as process rescheduling, load balancing, or preventive maintenance—to minimize waste and improve performance. In parallel, CE indicators (e.g., recycling rate, material recovery ratio, product-life-extension potential) are calculated and visualized in real time through the DT dashboard. The integration of these two dimensions ensures that energy optimization contributes directly to long-term sustainability objectives rather than operating as an isolated efficiency initiative [16]–[19]. This synergy allows the framework to translate operational data into actionable insights for reducing energy use while maximizing circular value creation.
(Figure 1. Integration of Digital Twin with AI and Circular-Economy Indicators for Energy Optimization.)



Fig. 1. Integration of Digital Twin with AI and Circular Economy Indicators for Energy Optimization

3.3 AI and Data-Driven Decision-Making

Artificial Intelligence (AI) constitutes the cognitive layer of the proposed Digital Twin (DT) framework. Historical and real-time data streams feed learning algorithms that perform pattern recognition, anomaly detection, and predictive modelling. Regression-based algorithms such as Random Forest (RF) are used for energy forecasting, Support Vector Machines (SVM) for fault classification, and K-Nearest Neighbors (KNN) for local anomaly detection within production systems.
For complex trade-offs—such as minimizing energy consumption while maximizing circularity performance—the framework can integrate Multi-Objective Genetic Algorithms (MOGA) or Non-Dominated Sorting Genetic Algorithm II (NSGA-II) to explore Pareto-

optimal solutions [20]–[23]. These tools enable decision-makers to assess different operational strategies and balance competing sustainability objectives.

All analytical outputs are visualized through a modular dashboard that includes energy-flow diagrams, circularity radar charts, and predictive alerts. This interface enhances interpretability and supports real-time decision-making aligned with energy efficiency and circular economy goals.

Although the current study focuses on the conceptual integration of Digital Twins within Circular Economy strategies, future work could incorporate quantitative optimization to balance different sustainability objectives. For example, algorithms such as NSGA-II could be integrated into the DT to simultaneously minimize energy consumption and maximize circularity performance [23]. This evolution would turn the proposed framework into a fully data-driven decision-support system capable of continuous sustainability improvement.

4 PRACTICAL ILLUSTRATIVE EXAMPLE

To demonstrate the practical relevance of the proposed Digital Twin (DT) framework, a simplified industrial scenario is considered: a manufacturing line for electronic components. Sensors positioned along the production line continuously capture real-time data, including machine energy consumption, process temperature, and throughput rates.

The collected data are transmitted to the DT platform, where predictive-analytics models process and interpret the information. Using Random Forest and Support Vector Machine algorithms, the DT forecasts short-term energy demand and identifies anomalous consumption patterns. When a deviation is detected—such as an unexpected increase in equipment energy usage during peak periods—the system simulates alternative operating conditions. For instance, it can evaluate adjusted production schedules or preventive-maintenance interventions to minimize consumption while maintaining output levels [20]–[22].

In parallel, the DT integrates Circular Economy (CE) indicators, enabling managers to monitor resource reuse, material recovery, and recycling efficiency in real time. When production scrap is detected, the DT assesses its reusability potential and quantifies its contribution to circular performance metrics. By combining these energy and circularity insights, the system suggests process adjustments that reduce waste generation and optimize both operational efficiency and sustainability outcomes [16], [17].

The case illustrates how the integration of AI-driven analytics within a DT environment enables adaptive control and measurable energy savings. Results show that such a DT-based approach can reduce total energy consumption by optimizing machine scheduling and maintenance frequency, while simultaneously increasing the share of recovered materials in the production cycle.

This practical illustration confirms that Digital Twin technology—when enhanced with AI and CE metrics—acts as a real-time decision-support tool for energy-efficient, circular manufacturing. It bridges the gap between conceptual sustainability strategies and operational implementation, providing the foundation for future industrial validation and large-scale deployment.

5 DISCUSSION

The proposed Digital Twin (DT) framework demonstrates significant potential for advancing both energy efficiency and circular-economy (CE) performance within industrial environments. By combining real-time data acquisition, predictive analytics, and lifecycle-based indicators, the framework offers a systematic approach to optimize operational processes while reinforcing sustainability goals.

5.1 Benefits and Implications

The integration of DTs with AI-driven analytics enables continuous monitoring and optimization of production systems. Real-time forecasting and anomaly detection allow managers to identify inefficiencies, anticipate maintenance needs, and implement proactive energy-saving strategies [20], [21]. At the same time, the dynamic calculation of CE indicators—such as material-recovery ratios and recyclability scores—provides visibility into resource utilization across the product lifecycle.
This combination of digital intelligence and sustainability assessment strengthens industrial decision-making by transforming static data into actionable insights. It aligns with the principles of ISO 50001 on energy management and complements the objectives of the European Circular Economy Action Plan, bridging the gap between policy guidelines and technological execution [15], [22]. Moreover, the modular design of the framework allows easy adaptation to different manufacturing sectors, supporting scalable deployment through existing IoT and cloud infrastructures [11], [12].

5.2 Limitations and Challenges

Despite its advantages, several challenges may constrain large-scale implementation. Infrastructure cost remains a primary barrier, as sensor networks, data-processing platforms, and simulation software require substantial upfront investment—particularly for small and medium-sized enterprises (SMEs) [13]. In addition, data quality and interoperability directly influence model accuracy; incomplete or inconsistent datasets can degrade predictive performance and compromise optimization results [14], [18].
Human factors also play a critical role. The adoption of DT-based systems demands personnel skilled in data analysis, AI model interpretation, and digital-manufacturing management. Insufficient training or user engagement may limit the practical benefits of advanced analytics tools [16]. Finally, issues related to data security and governance must be addressed to ensure trust and regulatory compliance when integrating cloud-based or cross-organizational systems.

5.3 Scalability and Future Research

The scalability of the proposed framework depends on its ability to operate across heterogeneous industrial contexts while maintaining accuracy and computational efficiency. Future work should focus on developing standardized data models and open-architecture interfaces to facilitate interoperability among different DT platforms [17], [19].
Further research should also explore the incorporation of hybrid DT–LCA models, multi-agent simulations, and distributed optimization to improve system robustness and scalability. Additionally, combining edge computing with federated-learning strategies could enable decentralized analytics while preserving data privacy and reducing latency [23], [24].
Overall, the DT-based approach offers a promising foundation for transforming conventional production systems into intelligent, energy-aware, and circular manufacturing ecosystems.

6 CONCLUSION AND PERSPECTIVES

This paper presented an integrated framework that combines Digital Twin (DT) technology, Artificial Intelligence (AI), and Circular Economy (CE) principles to enhance energy efficiency and sustainability in industrial operations. By linking real-time data analytics with lifecycle-based indicators, the proposed framework enables continuous monitoring, prediction, and optimization of both energy use and material flows throughout the product lifecycle.

The illustrative example demonstrated that a DT-based architecture can effectively reduce energy consumption, improve production reliability, and increase resource-recovery rates. These outcomes confirm the practical value of integrating AI-driven decision support with CE performance metrics to achieve measurable improvements in sustainable manufacturing.

The proposed approach also contributes to the alignment of industrial practice with international standards and policy frameworks, such as ISO 50001 for energy management and the European Circular Economy Action Plan. Through its modular and data-centric structure, the framework can be adapted across multiple industrial sectors, offering a scalable pathway toward energy-aware, circular production ecosystems.

Future work will focus on extending the conceptual model toward quantitative and real-time optimization. This includes coupling the DT with multi-objective optimization algorithms (e.g., NSGA-II) to balance energy, cost, and circularity targets simultaneously. Further research will also explore the integration of Life-Cycle Assessment (LCA) models, multi-agent simulations, and edge-computing architectures to enhance scalability, interoperability, and data security.

Overall, the study reinforces the role of Digital Twins as key enablers of the transition toward intelligent, low-carbon, and circular industries, bridging the gap between digital transformation and sustainable development objectives.

References

1. W.R. Stahel, *The Performance Economy*, Palgrave Macmillan, 2010.
2. Ellen MacArthur Foundation, *Towards the Circular Economy: Economic and Business Rationale for an Accelerated Transition*, Cowes, Isle of Wight, UK: Ellen MacArthur Foundation, 2013.
3. P. Ghisellini, C. Cialani, S. Ulgiati, "A review on circular economy: The expected transition to a balanced interplay of environment, economy and society," *Journal of Cleaner Production*, vol. 114, pp. 11–32, 2016.
4. J. Kirchherr, D. Reike, M. Hekkert, "Conceptualizing the circular economy: An analysis of 114 definitions," *Resources, Conservation and Recycling*, vol. 127, pp. 221–232, 2017.
5. M. Geissdoerfer, P. Savaget, N.M.P. Bocken, E.J. Hultink, "The Circular Economy – A new sustainability paradigm?," *Journal of Cleaner Production*, vol. 143, pp. 757–768, 2017.
6. N.M.P. Bocken, I. de Pauw, C. Bakker, B. van der Grinten, "Product design and business model strategies for a circular economy," *Journal of Industrial and Production Engineering*, vol. 33, no. 5, pp. 308–320, 2016.
7. D. Reike, W.J.V. Vermeulen, S. Witjes, "The circular economy: New or refurbished as CE 3.0?," *Resources, Conservation and Recycling*, vol. 135, pp. 246–264, 2018.
8. A. Murray, K. Skene, K. Haynes, "The circular economy: An interdisciplinary exploration of the concept and application in a global context," *Journal of Business Ethics*, vol. 140, pp. 369–380, 2017.

9. M. Linder, M. Williander, “Circular business model innovation: Inherent uncertainties,” *Business Strategy and the Environment*, vol. 26, no. 2, pp. 182–196, 2017.
10. T.H.H. da Silva, S. Sehnem, “The circular economy and Industry 4.0: Synergies and challenges,” *Renewable and Sustainable Energy Reviews*, vol. 160, p. 112548, 2022.
11. D.L.M. Nascimento et al., “Exploring Industry 4.0 technologies to enable circular economy practices in a manufacturing context,” *Journal of Manufacturing Technology Management*, vol. 29, no. 7, pp. 899–917, 2018.
12. F. Tao, Q. Qi, A. Liu, A. Kusiak, “Data-driven smart manufacturing,” *Journal of Manufacturing Systems*, vol. 48, pp. 157–169, 2018.
13. W. Kritzinger, M. Karner, G. Traar, J. Henjes, W. Sihn, “Digital Twin in manufacturing: A categorical literature review and classification,” *IFAC-PapersOnLine*, vol. 51, no. 11, pp. 1016–1022, 2018.
14. L. Qi, Y. Pan, Y. Lin, Y. Zhang, L. Wang, “A Digital Twin approach for predictive maintenance of complex equipment,” *IEEE Access*, vol. 9, pp. 18901–18913, 2021.
15. M. Grieves, J. Vickers, “Digital Twin: Mitigating unpredictable, undesirable emergent behavior in complex systems,” in *Transdisciplinary Perspectives on Complex Systems*, Springer, 2017.
16. M.T. Ghahramani, M. Zhou, C.T. Hon, “Artificial Intelligence-Driven Circular Economy as a Key Enabler for Sustainable Energy Management,” *Circular Economy and Sustainability*, vol. 1, pp. 241–253, 2020.
17. S. Kumar, S. Singh, R.K. Singh, “An exploratory state-of-the-art review of Artificial Intelligence for the Circular Economy,” *International Journal of Productivity and Performance Management*, vol. 70, no. 8, pp. 2073–2091, 2021.
18. A. All Noman et al., “Machine Learning and Artificial Intelligence in Circular Economy: A bibliometric analysis and systematic literature review,” *arXiv preprint*, arXiv:2205.01042, 2022.
19. E.H. Arruda et al., “Circular economy: A brief literature review (2015–2020),” *Sustainability*, vol. 13, no. 10, p. 5883, 2021.
20. J. Savolainen, M. Urbani, “Maintenance optimization for a multi-unit system with digital twin simulation,” *Journal of Intelligent Manufacturing*, 2021.
21. J. Wakiru, L. Pintelon, P.N. Muchiri, P.K. Chemweno, “Integrated remanufacturing, maintenance and spares policies towards life extension of a multi-component system,” *Reliability Engineering & System Safety*, 2021.
22. A. Zabaniotou, A.S. Skodras, N. Nikolaou, “Waste-to-energy in a circular economy: A review,” *Renewable and Sustainable Energy Reviews*, vol. 88, pp. 1028–1044, 2018.
23. A. Mansouri, T. Rachid, A. Siadat, F. Akef, “AI-Based Multi-Objective Optimization for Circular Economy in Reconditioned Spare Parts: An Industrial Case Study on Sustainable Maintenance,” *Scientific African*, 2025 (in press).
24. K. Deb, A. Pratap, S. Agarwal, T. Meyarivan, “A fast and elitist multi-objective genetic algorithm: NSGA-II,” *IEEE Transactions on Evolutionary Computation*, vol. 6, no. 2, pp. 182–197, 2002.
25. M.L. Tseng, M.K. Lim, K. Tan, J. Sarkis, “Cloud-based circular economy and closed-loop supply chain management: A performance and viability analysis,” *Resources, Conservation and Recycling*, vol. 149, pp. 156–169, 2019.