Multi-Criteria Decision Making with the VIKOR and SMARTER Methods for Optimal Seller Selection from Several E-Marketplaces

Miftahul Arif^{1*}, Jatmiko Endro Suseno², R. Rizal Isnanto³

¹Master of Information System, Post Graduated School, Diponegoro University, Semarang, Indonesia

²Department of Physics, Faculty of Science and Mathematics, Diponegoro University, Semarang, Indonesia

³Department of Computer Engineering, Faculty of Engineering, Diponegoro University, Semarang, Indonesia

Abstract. Many similar products offered by several sellers in e-marketplace applications make the buyers need to be more selective when shopping. This article addresses the prioritization of the goods sellers alternatives in e-marketplace by integrating the VIKOR with the SMARTER method for the process of multi-criteria decision making (MCDM) by considering various variables as selection criteria. There are five variables of sellers in the e-marketplace that are used as selection criteria, namely: product price, number of products sold, seller score rating, number of reviews with five stars, and location distance. The SMARTER method is used to determine the criteria weight, and the VIKOR model to rank the alternative priorities according to the weighted index. The case studies are conducted on three e-marketplace in Indonesia with the most number of monthly web visitors, namely: Shopee, Tokopedia, and Bukalapak. Finally, integration of SMARTER and VIKOR method allows the buyers to get the good products at competitive prices from the optimal goods sellers in the e-marketplace.

Keywords. Multi-Criteria Decision Making; E-Marketplace; Seller Selection; VIKOR Method; SMARTER Method.

1 Introduction

The great market potential and good growth trends make e-marketplace one of the most successful digital businesses in Indonesia. This success is one of the more factors in the increasing number of choices in the e-marketplace, both in terms of application and number of sellers. Many similar products offered by several sellers in the e-marketplace applications makes the buyer must be more selective to obtain a good product at competitive prices from the optimal sellers [1]. The large, fast, and diverse number of e-marketplace data transactions

* Corresponding author: arifmiftahul@gmail.com

raises big data phenomenon. Big Data analytics on e-marketplace can help companies to learn about consumer behaviour in shopping, while from the consumer side can make it easier to decide on the purchase of goods [2].

Data on e-marketplace developments in Indonesia in the fourth quarter of 2019 obtained from the site of online shopping aggregator iPrice, mentioned that Shopee has become an e-marketplace with the highest number of monthly web visitors, followed by Tokopedia and Bukalapak behind it. Therefore, this paper will be focused on the selection of the optimal goods sellers from the three e-marketplace, namely: Shopee, Tokopedia, and Bukalapak.

Decision support system (DSS) to select the optimal goods seller from several e-marketplace at once is a process to rank a series of alternative sellers based on several assessment criteria. Multi criteria decision making (MCDM) is the right method to solve the problem [3]. There are several alternative methods that can be used to solve MCDM problems such as AHP, ANP, ELECTRE, SMARTER, TOPSIS, PROMETHEE and VIKOR [4].

There are two kinds of approaches that can be used to help solve MCDM problems, namely: single and hybrid methods, but hybrid method approach proved more reliable, because it can cover each other's weaknesses. So, it can produce the criteria of weighted in more consistent and reliable decision making [5]. Therefore, this study will use a hybrid approach by combining the SMARTER and VIKOR methods.

The VIKOR method (Vlse Kriterijumska Optimizacija Kompromisno Resenje) has been widely used to solve various decision-making issues based on multi-criteria [6]. This method focuses on the selection and ranking of several alternatives with conflicting criteria [7] by proposing a compromise solution to the results based on the estimated ideal solution [8]. The VIKOR method has weaknesses in the initial weighting process of criteria that is subjective, so a combination with other methods is needed to obtain more accurate and more stable results [5]. To cover it, this study will be combined with the SMARTER method (Simple Multi-Attribute Rating Technique Exploiting Ranks). This method determines the weight of each criterion based on ROC (Rank Order Centroid) calculations [9], which has been widely applied to the multi-criteria model, because it has proven advantages in the process of weighting criteria, so that the results of the consistency of distance between criteria can be maintained [10]. As an example the study of Hidayat et al. [11] which has proven that modification of the weighting of criteria by the SMARTER method has proven to be more selective in determining scholarship recipients.

Some related studies are the main references for this study, because they have similar topics and purposes, namely: the development of information systems to help select the optimal goods sellers on AliExpress using the AHP method [1], and the development of an optimal seller recommendation system in the e-marketplace using the Simple Additive Weighting (SAW) method [12]. This study aims to combine the VIKOR and SMARTER method to provide recommendations for the optimal goods sellers from three e-marketplaces at once automatically, namely: Shopee, Tokopedia, and Bukalapak. So, buyers will get products at competitive prices, and various other criteria that are taken into consideration. There are five seller variables that will be used as selection criteria, namely: product price, number of products sold, seller score rating, number of reviews with five stars, and location distance.

2 Materials and Methods

2.1 Materials

This study uses web mining techniques with scraping tool, as shown in Fig 1. to mine data from three e-marketplaces in Indonesia, namely: Shopee, Tokopedia, and Bukalapak which

contain products, sellers, and attributes selected as criteria [13]. The selection of these attributes is based on previous study [12], and sourced from field research by surveys and interviews with a number of respondents who are experienced and still actively transacting in the e-marketplace. The seller attributes selected as consideration in the selection, there are five kinds of criteria, as shown in Table 1.

Fig 1. Schema of data mining process from three e-marketplaces

Table 1. The DSS criteria

No	Criteria	Criteria Description
1	Seller Score Rating	<div>- Seller ratings based on buyer ratings</div> <div>- Higher-the-better (Benefit)</div>
2	Number of Reviews with 5 Stars	<div>- Buyer reviews with 5 stars show the seller's performance is very positive</div> <div>- Higher-the-better (Benefit)</div>
3	Product Price	<div>- Identified by the nominal in Rupiah currency (IDR)</div> <div>- Lower-the-better (Cost)</div>
4	Number of Products Sold	<div>- Number of products successfully sold</div> <div>- Higher-the-better (Benefit)</div>
5	Location Distance	<div>- Distance between seller and buyer location in KM units</div> <div>- Lower-the-better (Cost)</div>

2.2 Methods

Reference in multi-criteria decision making (MCDM) is how we can make a decision based on several conflicting criteria. The decision maker must be able to choose the most appropriate alternative from a number of alternatives, based on pre-defined selection criteria [6]. MCDM is a practical and reliable tool in solving problems that are certain or not, and can facilitate the merging of quantitative and qualitative methods of scientific analysis [14]. This study will implement the VIKOR and SMARTER methods to help select and determine the optimal goods seller ranking from three e-marketplaces at once.

The VIKOR method is a decision making technique developed to optimize multi-criteria problems [15]. Several studies on the implementation of the VIKOR method in MCDM have been carried out, such as the suppliers selection in the nuclear power industry [16], material selection for the repair of concrete structures [17], weapon system selection based on consistency analysis [18], and the ranking of concrete bridge repair projects with target-based criteria [7]. From various studies it can be concluded that the VIKOR method is proven to help the selection and ranking process on MCDM issues. The basic concept of the VIKOR method is to determine the alternative ranking based on the results of the regret (R) value of each alternative. The core of this method is how to select and then rank the results it in the form of alternative sets with conflicting criteria [19].

The following is a sequence of steps from the proposed method, namely implementing the VIKOR and SMARTER methods to determine the optimal goods seller rank from three e-marketplaces [18, 20, 21, 22] :

Step 1 : Define the decision-making criteria.

The first step is to define the criteria used to make decisions, there are five seller attributes selected as consideration in the selection, as shown in Table 1.

Step 2 : Create a decision matrix (F) based on existing alternatives and criteria.

In this step each alternatives and criterion is arranged in the form of a Decision matrix (F), A_i declared i^{th} alternative $i = 1, 2, 3, \dots, n$; C_{xn} declared j^{th} criteria $j = 1, 2, 3, \dots, m$. x_{ij} is the alternative response i in the criteria j .

$$F = \begin{matrix} A_1 \\ A_2 \\ \vdots \\ A_m \end{matrix} \begin{bmatrix} C_{x1} & C_{x2} & \cdots & C_{xn} \\ x_{11} & x_{12} & \cdots & x_{1n} \\ x_{21} & x_{22} & \cdots & x_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ x_{m1} & x_{m2} & \cdots & x_{mn} \end{bmatrix} \quad (1)$$

Step 3 : Determine the weights for each criterion

Determine the weight of each criterion (W) based on the level of importance using the SMARTER method. This method is based on the theory that each alternative has a number of criteria that contain values, in addition each of these criteria has a weighted describing the importance level compared to other criteria. Determination of priority criteria is usually formed with the statement "criterion 1 is more important than criterion 2, which is more important than criterion 3 and so on until criterion j ", or can be written $C_1 \geq C_2 \geq C_3 \geq \dots \geq C_j$, to determine its weight can be explained as the following equation [23].

$$W_1 \geq W_2 \geq W_3 \geq \dots \geq W_j \quad (2)$$

Weighting with the ROC technique, can be formulated as follows:

$$W_j = \left(\frac{1}{j} \right) \sum_{i=j}^J \left(\frac{1}{i} \right) \quad (3)$$

where J expressed as the number of criteria, j as j -th criterion, and i expressed as order of criteria ($i = 1, 2, 3, \dots, j$).

Step 4 : Normalize the matrix

Make a normalized matrix by determining positive (f_j^+) and negative (f_j^-) values as the ideal solution for each criterion, as the following equation:

- If the criteria are in the benefit category, then use the function:

$$f_j^+ = \max_j f_{ij} \text{ and } f_j^- = \min_j f_{ij} \quad (4)$$

- If the criteria are in the cost category, then use the function:

$$f_j^+ = \min_j f_{ij} \text{ and } f_j^- = \max_j f_{ij} \quad (5)$$

where i expressed as order of alternative ($i = 1, 2, 3, \dots, n$), and j expressed as order of criteria ($j = 1, 2, 3, \dots, m$).

Step 5 : Calculate the utility measure (S) and regret measures (R) of each alternative.

$$S_i = \sum_{j=1}^n W_j \frac{(f^* - f_{ij})}{(f_j^+ - f_j^-)} \quad (6)$$

$$R_i = \max_j \left[W_j \frac{(f^* - f_{ij})}{(f_j^+ - f_j^-)} \right] \quad (7)$$

Where S_i expressed as the value of the alternative distance to the positive ideal solution, R_i is the value of the alternative distance to the negative ideal solution, and W_j is the weight value obtained from calculations with the SMARTER method (step 3).

Step 6 : Calculate the value of VIKOR index

$$Q_i = v \left[\frac{(S_i - S^*)}{(S^+ - S^-)} \right] + (1 - v) \left[\frac{(R_i - R^*)}{(R^+ - R^-)} \right] \quad (8)$$

Where S^* is $\max_i(S_i)$, S^- for $\min_i(S_i)$, R^* is $\max_i(R_i)$, and R^- as $\min_i(R_i)$, and v was weight ranging from 0 to 1 (generally 0.5). The smaller VIKOR index (Q_i), the better of alternative solution.

Step 7 : Rank the alternatives.

After Q_i was calculated (step 6), there would be three types of ranking: S_i , R_i , and Q_i . Compromise solutions were seen in Q_i ranking.

Step 8 : Propose as a compromise solution.

Finally, the last step measures the minimum VIKOR index based on the following conditions:

- 1) Condition 1 : Acceptable advantage, a difference between the Q_{A1} and Q_{A2} , the best and the second alternative ranking respectively.

$$Q_{A2} - Q_{A1} \geq DQ \quad (9)$$

$$\text{Where } DQ = \frac{1}{(m-1)} \quad (10)$$

where m is the number of alternatives.

- 2) Condition 2 : Acceptable stability in decision making. This compromise solution is stable in the decision-making process that could be due to: “vote by majority rule” (when $v > 0.5$), or “by consensus” ($v = 0.5$), or “by veto” ($v < 0.5$).

If any of conditions is not satisfied, a compromise solution can be proposed as follows:

- Alternative Q_{A1} and Q_{A2} , if only Acceptable stability condition in decision making is not satisfied.
- Chooses alternative Q_{A1} , Q_{A2} , ..., Q_{Am} , if Acceptable Advantage condition is not satisfied; Q_{Am} is the alternative determined from the relation.

$$Q_{(Am)} - Q_{(A1)} < DQ \quad (11)$$

Where m maximum is an alternative which the position are “in closeness”.

3 Implementation

The implementation of the SMARTER method usually involves respondents who have competence as decision makers to determine the priority level of each criterion needed in the SMARTER method for ROC calculations. So, in this study uses a multilevel (Likert scale) questionnaire on each answer given to respondents who are experienced and still actively transacting in the e-marketplace to determine it. The results are as shown in Table 2.

Table 2. The Weight value of each criterion

Criteria Name	Code	Category	Priority Level	Criteria Weights (W_i) using ROC
Seller Score Rating	C1	Benefit	1	0,46
Number of Reviews with 5 Stars	C2	Benefit	2	0,26
Product Price	C3	Cost	3	0,16
Number of Products Sold	C4	Benefit	4	0,09
Location Distance	C5	Cost	5	0,04

The system will be built using 2 kinds of data as input. Firstly, data from users in the form of price restrictions, destination addresses, and product search keywords. Secondly, the system will mine the seller data from the e-marketplace based on the user input that contains several attributes, namely: product price, number of products sold, seller rating rating, number of reviews with five stars, and the seller's address. The system will automatically calculate the user's location distance with the seller by utilizing the Google Maps service. Google Maps is one of the most powerful mapping application services created by Google, which features an API key enabling developers to integrate these mapping services into systems [24]. The analysis process flow, as shown in Fig. 2.

Fig 2. Analysis process flow

Data samples based on search results from Shopee, Tokopedia, and Bukalapak with the keyword "Samsung a10" taken on April 27, 2020. Then, we selected 15 alternative sellers based on price with the destination address Semarang city as an example of a case analysis in this study, as shown in Table 3. Then, the data is calculated using the proposed method, so as to generate the conclusions as shown in Table 4 and Table 5.

Table 3. Criteria information of selected seller from e-marketplaces

Marketplace	Seller's Name	Code	Location	C1	C2	C3	C4
Tokopedia	one's_olshop	A1	Kab. Bogor	4,9	76	1.604.000	1.093
Tokopedia	Distributor Ponsel	A2	Jakarta barat	4,7	276	1.636.000	2.207
Tokopedia	varelle ponsel	A3	Jakarta barat	5,0	110	1.665.000	484
Tokopedia	Barokah Online Abadi	A4	Demak	4,8	64	1.625.000	207
Tokopedia	HN Store 2003	A5	Jakarta Pusat	5,0	40	1.620.000	607
Shopee	quenzzyqee	A6	Kab. Tangerang	4,9	93	1.600.000	453
Shopee	murah2019	A7	Tangerang Selatan	4,9	9	1.609.999	62
Shopee	nashop7979	A8	Jakarta Selatan	4,9	39	1.610.000	70
Shopee	hnstore2003	A9	Jakarta Pusat	4,8	8	1.620.000	13
Shopee	shopeedia	A10	Jakarta barat	4,7	6	1.675.000	20
Bukalapak	JAYA STORE	A11	Jakarta Utara	4,7	16	1.674.000	41
Bukalapak	Xiaomi Store	A12	Jakarta Pusat	4,2	1	1.673.070	8
Bukalapak	Gojap	A13	Jakarta barat	4,8	95	1.675.000	438
Bukalapak	Dsun Shop	A14	Kab. Bogor	5,0	9	1.625.000	13
Bukalapak	Metta Cell Bekasi	A15	Bekasi	5,0	5	1.670.000	14

Table 4. Implementation procedure for the proposed method steps 1-3

Alternatives	C1	C2	C3	C4	C5
A1	4,9	76	1.604.000	1.093	480
A2	4,7	276	1.636.000	2.207	452
A3	5,0	110	1.665.000	484	452
A4	4,8	64	1.625.000	207	34
A5	5,0	40	1.620.000	607	446
A6	4,9	93	1.600.000	453	485
A7	4,9	9	1.609.999	62	463
A8	4,9	39	1.610.000	70	405
A9	4,8	8	1.620.000	13	446
A10	4,7	6	1.675.000	20	452
A11	4,7	16	1.674.000	41	444
A12	4,2	1	1.673.070	8	446
A13	4,8	95	1.675.000	438	452
A14	5,0	9	1.625.000	13	480
A15	5,0	5	1.670.000	14	424
W_j	0,09	0,04	0,46	0,16	0,26
f_j^+	5,0	276	1.600.000	2.207	34
f_j^-	4,2	1	1.675.000	8	485

Table 5. Implementation procedure for the proposed method steps 4-7

Alternatives	C1	C2	C3	C4	C5	S_i	R_i	Q_i	Rank
A1	0,0571	0,1867	0,0084	0,0456	0,0396	0,3373	0,1867	0,0905	4
A2	0,1713	0,0000	0,0752	0,0000	0,0371	0,2835	0,1713	0,0270	1
A3	0,0000	0,1549	0,1358	0,0705	0,0371	0,3983	0,1549	0,0809	3
A4	0,1142	0,1979	0,0522	0,0819	0,0000	0,4461	0,1979	0,1858	6
A5	0,0000	0,2203	0,0418	0,0655	0,0365	0,3641	0,2203	0,1651	5
A6	0,0571	0,1708	0,0000	0,0718	0,0400	0,3397	0,1708	0,0659	2
A7	0,0571	0,2492	0,0209	0,0878	0,0380	0,4530	0,2492	0,2757	10
A8	0,0571	0,2212	0,0209	0,0875	0,0329	0,4195	0,2212	0,2057	7
A9	0,1142	0,2501	0,0418	0,0898	0,0365	0,5324	0,2501	0,3333	12
A10	0,1713	0,2520	0,1567	0,0895	0,0371	0,7065	0,2520	0,4591	14
A11	0,1713	0,2427	0,1546	0,0886	0,0364	0,6935	0,2427	0,4345	13
A12	0,4567	0,2567	0,1526	0,0900	0,0365	0,9925	0,4567	1,0000	15
A13	0,1142	0,1689	0,1567	0,0724	0,0371	0,5492	0,1689	0,2106	8
A14	0,0000	0,2492	0,0522	0,0898	0,0396	0,4308	0,2492	0,2601	9
A15	0,0000	0,2529	0,1462	0,0898	0,0346	0,5235	0,2529	0,3316	11
Category	Benefit	Benefit	Cost	Benefit	Cost	$\nu = 0,5$			
$S^+; R^+$						0,2835	0,1549		
$S^-; R^-$						0,9925	0,4567		

4 Result and Discussion

A compromise solution is determined from the alternative that has the best ranked by the measure Q (minimum), if the following two conditions are satisfied:

1) Condition 1 : Acceptable advantage

$$DQ = \frac{1}{(m-1)} = \frac{1}{(15-1)} = \frac{1}{14} = 0,0714$$

$$Q_{A6} - Q_{A2} = 0,0659 - 0,0270 = 0,0389$$

The value of $Q_{A6} - Q_{A2} < DQ$. So, Acceptable advantage conditions are not satisfied.

2) Condition 2 : Acceptable stability in decision making

The best ranking results (Q_i) with consistently different v values are Alternative 2 (A2) ($v = 0,45$; $v = 0,5$; and $v = 0,55$), as shown in Table 6. So, it can be proved that the condition Acceptable stability in decision making is satisfied.

Table 6. Ranking of Q_i with different value of v

Rank (Q_i)	A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	A14	A15
$v = 0,5$	4	1	3	6	5	2	10	7	12	14	13	15	8	9	11
$v = 0,45$	4	1	3	6	5	2	10	8	12	14	13	15	7	9	11
$v = 0,55$	3	1	4	6	5	2	10	7	12	14	13	15	8	9	11

From this explanation, it can be seen that condition 1 : Acceptable advantage is not satisfied, therefore we choose alternative Q_{A6} , Q_{A3} , and Q_{A1} which the position are “in closeness” with Q_{A2} , as shown in Table 7.

Table 7. Rank the alternatives

Q_{Am}	Q_{A2}	Q_{A6}	Q_{A3}	Q_{A1}	Q_{A5}	Q_{A4}	...	Q_{A12}
Rank (Q_i)	1	2	3	4	5	6		15
$v = 0,5$	0,0270	0,0659	0,0809	0,0905	0,1651	0,1858	...	1,0000

$$DQ = \frac{1}{(m-1)} = \frac{1}{(15-1)} = \frac{1}{14} = 0,0714$$

$$Q_{A6} - Q_{A2} = 0,0659 - 0,0270 = 0,0389 < 0,0714$$

$$Q_{A3} - Q_{A2} = 0,0809 - 0,0270 = 0,0539 < 0,0714$$

$$Q_{A1} - Q_{A2} = 0,0905 - 0,0270 = 0,0634 < 0,0714$$

From these calculations it can be seen, that Q_{A2} is not superior to Q_{A6} , Q_{A3} , and Q_{A1} . So, four of them all, namely: Q_{A2} , Q_{A6} , Q_{A3} , and Q_{A1} can all be considered as compromise solution of Samsung A10 product sellers ranking from three e-marketplaces with the SMARTER and VIKOR method at the time of data collection.

5 Conclusions

Optimal seller selection and ranking from several e-marketplaces is one of the case of multi-criteria decision making issues. The process involves data that contains numerous seller alternatives as an option with multiple conflicting criteria. Therefore, a decision support system is needed that can help it. This study proposes a combination of the VIKOR and SMARTER methods as a solution to the problem, because from various previous studies, the VIKOR method proved to help solve the problem of selection and ranking of a number of alternatives that have conflicting criteria. Meanwhile, the SMARTER method has an advantage in the initial weighting of criteria by using ROC calculations, so that this combination can cover the weaknesses of each.

This study takes an example of the Samsung A10 seller selection process from three e-marketplaces, namely: Shopee, Tokopedia and Bukalapak in the form of sample data containing 15 alternative sellers along with five selection criteria. The combination of the SMARTER and VIKOR methods helps provide optimal seller recommendations by giving the best ranking results (Q_i) with $v = 0,5$, namely : Distributor Ponsel (A2) = 0,0270, quenzzyqee (A6) = 0,0659, varelie ponsel (A3) = 0,0809, one's_olshop (A1) = 0,0905.

Acknowledgement

The research and preparation of this paper was successful thanks to the exceptional support and assistance from various parties. The author would like to thanks the PasTi Scholarship Program, from the Ministry of Research, Technology and Higher Education, Republic of Indonesia, for providing this research funding assistance. Jatmiko Endro Suseno and R. Rizal Isnanto, Lecturers of Master of Information System, Post Graduated School, Diponegoro University, who have guided and examined my research transcript. And all those who have supported and assisted my research.

References

1. V. Shendryk, D. Bychko, Y. Parfenenko, O. Boiko, and N. Ivashova, "Information system for selection the optimal goods supplier," *Procedia Comput. Sci.*, **149**, pp. 57–64 (2019).
2. S. Akter and S. F. Wamba, "Big data analytics in E-commerce: a systematic review and agenda for future research," *Electron. Mark.*, **26**, no. 2, pp. 173–194 (2016).
3. M. Mohammadi and J. Rezaei, "Ensemble Ranking: Aggregation of rankings produced by different multi-criteria decision-making methods," *Omega*, p. 102254 (2020).
4. F. C. N. Piengang, Y. Beauregard, and J. P. Kenné, "An APS software selection methodology integrating experts and decisions-maker's opinions on selection criteria: A case study," *Cogent Eng.*, **6**, no. 1, pp. 1–34 (2019).
5. A. P. Wibawa, J. A. Fauzi, S. Isbiyantoro, R. Irsyada, Dhaniyar, and L. Hernández, "VIKOR multi-criteria decision making with AHP reliable weighting for article acceptance recommendation," *Int. J. Adv. Intell. Informatics*, **5**, no. 2, pp. 160–168 (2019).
6. P. Wang, Z. Zhu, and Y. Wang, "A novel hybrid MCDM model combining the SAW, TOPSIS and GRA methods based on experimental design," *Inf. Sci. (Ny)*, **345**, pp. 27–45 (2016).
7. Z. Gao, R. Y. Liang, and T. Xuan, "VIKOR method for ranking concrete bridge repair projects with target-based criteria," *Results Eng.*, **3**, no. April, p. 100018 (2019).
8. S. Opricovic and G. H. Tzeng, "Compromise solution by MCDM methods: A comparative analysis of VIKOR and TOPSIS," *Eur. J. Oper. Res.*, **156**, no. 2, pp. 445–455 (2004).

9. Rasim, E. F. Rahman, N. F. Dewi, and L. S. Riza, "Decision Support Systems for Performance and Evaluation of Teachers in General-English Course by Using the SMARTER and TOPSIS Methods," *IOP Conf. Ser. Mater. Sci. Eng.*, **180**, no. 1, p. 012283 (2017).
10. D. Karyaningsih and A. Wibowo, "The Support System Decision the Determination of Poor Community Welfare with the Methods Web-Based SMARTER: Case Studies Regency Lebak the Province of Banten," *J. Phys. Conf. Ser.*, **1179**, no. 1 (2019).
11. S. Hidayat, Tulus, and P. Sirait, "Weighting Optimization of Decision Matrix in Fuzzy TOPSIS Using SMARTER Method," *J. Phys. Conf. Ser.*, **1235**, no. 1 (2019).
12. M. M. Mardhia and D. Normawati, "Marketplace seller recommender with user-based multi criteria decision making," *Proceeding 2018 12th Int. Conf. Telecommun. Syst. Serv. Appl. TSSA 2018*, pp. 1–5 (2018).
13. Fatmasari, Y. N. Kunang, and S. D. Purnamasari, "Web Scraping Techniques to Collect Weather Data in South Sumatera," *Proc. 2018 Int. Conf. Electr. Eng. Comput. Sci. ICECOS 2018*, no. December, pp. 385–390 (2019).
14. F. Sitorus, J. J. Cilliers, and P. R. Brito-Parada, "Multi-criteria decision making for the choice problem in mining and mineral processing: Applications and trends," *Expert Syst. Appl.*, **121**, pp. 393–417 (2019).
15. J. Wang, G. Wei, and M. Lu, "An extended VIKOR method for multiple criteria group decision making with triangular fuzzy neutrosophic numbers," *Symmetry (Basel)*, **10**, no. 10 (2018).
16. Y. Wu, K. Chen, B. Zeng, H. Xu, and Y. Yang, "Supplier selection in nuclear power industry with extended VIKOR method under linguistic information," *Appl. Soft Comput. J.*, **48**, pp. 444–457 (2016).
17. B. Kiani, R. Y. Liang, and J. Gross, "Material selection for repair of structural concrete using VIKOR method," *Case Stud. Constr. Mater.*, **8**, no. January, pp. 489–497 (2018).
18. X. Zhang, J. Jiang, B. Ge, and K. Yang, "Group decision making for weapon systems selection with VIKOR based on consistency analysis," *10th Annu. Int. Syst. Conf. SysCon 2016 - Proc.*, (2016).
19. Y. Kim and E. S. Chung, "Fuzzy VIKOR approach for assessing the vulnerability of the water supply to climate change and variability in South Korea," *Appl. Math. Model.*, **37**, no. 22, pp. 9419–9430 (2013).
20. S. Nisel, "An Extended VIKOR Method for Ranking Online Graduate Business Programs," *Int. J. Inf. Educ. Technol.*, **4**, no. 1, pp. 103–107 (2014).
21. M. F. El-Santawy and A. N. Ahmed, "Evaluating Consulting Firms Using VIKOR," *Life Sci. J.*, **9**, no. 4, pp. 5872–5874 (2012).
22. M. F. El-Santawy and A. N. Ahmed, "A VIKOR Approach for Project Selection Problem," *Life Sci. J.*, **9**, no. 4, pp. 5878–5880 (2012).
23. A. A. Tangkesalu and J. E. Suseno, "Information System of Performance Assesment on Startup Business using Simple Multi-Attribute Rating Technique Exploiting Ranks (SMARTER)," *E3S Web Conf.*, **73**, pp. 2–6 (2018).
24. Y. Dian Harja and R. Sarno, "Determine the best option for nearest medical services using Google maps API, Haversine and TOPSIS algorithm," *2018 Int. Conf. Inf. Commun. Technol. ICOIACT 2018*, pp. 814–819, Yogyakarta (2018).