Synthesis and absorption properties of small-molecule acceptor based rich-electronic benzodiselenophene core with hybrid bromination and fluorination end-group

Lai Wang¹, Jin-Liang Wang^{1*}

¹School of Chemistry and Chemical Engineering, Beijing Institute of Technology, Beijing 100081, China.

Abstract. At present, dihalogenated 1,1-dicyanomethylene-3-indanone (IC) have attracted widely attention as terminal unit. Here, our work designed and synthesized a new nonfullerene small molecule acceptor material BDSe-FBr, with simultaneously fluorinated and brominated terminal. Due to that bromine atom has more electrons and larger size, and fluorine atom enhanced intermolecular π - π packing, BDSe-FBr present strong absorption abilities in solution and film. It shows a broad absorption range of 600–800 nm and 700–900 nm, with the maximum absorption peak in solution and film of 742 nm and 774 nm, respectively, and the optical band gap of BDSe-FBr is 1.40 eV. The results are beneficial for high JSC and less energy loss and these strong absorption abilities are due to that bromine atom has more electrons and larger size, and fluorine atom enhanced intermolecular π - π packing. The multiple interactions between heteroatom also is beneficial to improve charge transportation and crystallinity. This new A-D-A type small molecules with simultaneously fluorinated and brominated end-group provide an effective strategy to improve photovoltaic performance of acceptor. The introduction of fluorine and bromine atoms simultaneously into the terminal group exhibits great prospects for application in high performance OSCs.

1 Introduction

Organic solar cells (OSCs) have been attracted more attention, since unique advantages for light weight, flexible, large area fabrication, and solution processability.^[1-5] In the past few decades, nonfullerene small molecular acceptor have made significant progresses, benefited from strong absorption and the characteristic of easily chemical modification, especially after Y6 acceptors emerged.^[6-9] The power conversion efficiencies (PCEs) based on nonfullerene small molecular acceptors have exceeded 18%, which shows expected application potential.^[10-13]

The acceptor–donor–acceptor (A-D-A) type acceptors have become the most successful molecular structure. This molecular framework is divided into the fused electron-rich core (D) and the electron-withdrawing terminals (A). Benzo[1,2-b:4,5-b']diselenophene (BDSe) as a rich-electron core have been reported in our past work and this strategy for introducing the more electron-rich Se atoms enhances the π electron conjugation. BDSe core can also improve the electron mobility and optimize molecular crystal characteristics.^[14] Moreover, heteroatom with more electron number enhanced intermolecular interaction, which results in the small bandgap and energy loss.^[15]

Halogenated 1,1-dicyanomethylene-3-indanone (IC) as an end-group unit plays an important role, in promoting

the development of A-D-A type acceptors¹⁶. Halogen atoms enable deepening the frontier energy levels of acceptors and widening absorption ability, in addition to promote noncovalent interactions and aggregation abilities, which was caused by high electronegativity and effective electronic delocalization.^[17] Thus acceptors with halogenation terminals have exhibited potential ability for fine-tuning the crystalline and optical physical properties.^[11, 18, 19] Electron affinity of different halogens could bring about the complicated influence on the absorption property. In addition, there exist large fluorine and bromine atom large difference.^[20, 21] Bromine have more rich-electron further to improve absorption abilities and reduce energy loss. While fluorine with most strong electronegativity enhance intramolecular electronic transportation and pacing orientation.^[20] However, there are few studies on acceptor material with for electron-rich core and fluorinated and brominated end groups. Based on these, we combined the electron-rich BDSe core with simultaneously fluorinated and brominated terminals and synthesized a new A-D-A type acceptor named **BDSe-FBr**, which achieved strong absorption abilities.

* Corresponding author: jinliangwang@bit.edu.cn

2 Synthesis

Scheme 1. Synthetic route of **BDSec-FBr**

Compound **BDSec-CHO** was synthesized in accordance with past work of our group and **FBr-IC** was obtained by referring the reported literature.^[14, 22] As shown in Scheme 1, **BDSec-FBr** was afforded via the Knoevenagel condensation of **BDSec-CHO** with **FBr-IC** in 86% yield. In detail, **FBr-IC** (0.26 g, 0.93 mmol) and **BDSec-CHO** (0.20 g, 0.18 mmol) were added into a 50 mL two-neck round-bottom flask, and the mixture was evacuated and backfilled with N_2 three times. Then freshly degassed chloroform (30 mL) and pyridine (0.4 mL) were added into the reaction mixture. The mixture was stirred at room temperature for 8 h, after that the solution was poured into methanol and the precipitate was filtered off and washed with methanol. The crude product was further to purify by silica gel column chromatography, through eluting with

petroleum ether/dichloromethane (1:1) to give a black solid as pure product (0.16 g, 86%).

The compound **BDSec-FBr** with three isomers was characterized by 1H NMR in **Figure 1**. The determined ratio of the three isomers for **BDSec-FBr** is ca. 0.02: 0.72: 0.26, which is based on that hydrogens ratio in end-groups is ca. 1.7: 0.3 from the 1H NMR spectra. 1H NMR ($CDCl_3$, 400 MHz, ppm): δ 8.85 (s, 2H, =CH), 8.73-8.75 (CH₃), (d, J = 2.8 Hz, 0.3H, Ph-H), 8.43-8.46 (d, J = 2.8 Hz, 1.7H, Ph-H), 8.03 (s, 2H, Th-H), 7.90-7.91 (d, J = 6.8 Hz, 1.7H, Ph-H), 7.68 (s, 2H, Ph-H), 7.59-7.61 (d, J = 6.8 Hz, 0.3H, Ph-H), 7.09-7.16 (m, 8H, Ph-H), 2.54-2.56 (t, J = 7.6 Hz, 8H, CH₂), 1.55-1.59 (m, 8H, CH₂), 1.26-1.35 (m, 24H, CH₂), 0.84-0.87 (m, 12H, CH₃).

Figure 1. 1H NMR spectra of **BDSec-FBr**

3 Results and discussion.

BDS_e-FBr has good solvent properties in conventional solvents, for instance dichloromethane, chloroform and tetrahydrofuran. The UV-Visible absorption spectrum of **BDS_e-FBr** in solution and film state was displayed in the **Figure 2**, and the detailed data was listed in **Table 1**.

Figure 2. The UV-visible absorption spectrum of **BDS_e-FBr** in solution and film state.

Photophysical properties of acceptor material are usually related with molecular structure, thus UV-Visible absorption spectrum of the acceptor material was carried out in chloroform solution and the thin film in order to explore the relationship. As shown in **Figure 2**, the **BDS_e-FBr** in the chloroform solution displays a broad absorption range of 600–800 nm, and present the maximum absorption at 741 nm.

However, the **BDS_e-FBr** in the film state displays a broader absorption range of 700–900 nm than solution absorption, and the maximum absorption peak in film state is red-shifted to 774 nm. This obvious red-shift phenomenon could be attributed to the enhanced π - π stacking effect between acceptor molecules from the solution to the film state, which suggests the introduction of fluorine and bromine atoms improves the intermolecular stacking.

The optical band gap of **BDS_e-FBr** was calculated as 1.40 eV from the edge absorption in film. Small optical band gap is conducive to less energy loss. Moreover, the range of the absorption spectrum of the acceptor show a

good complementary when matched with the absorption range of the wide band gap donor **PM6**, and this is beneficial to improve the photovoltaic performance of the OSC device.

In addition, **BDS_e-FBr** display a most strong absorption ability in chloroform solution, when is compared by acceptors with BDS_e core. This result could be attributed to F atoms have strongest electronegativity than other halogens and hydrogen. Higher electronegativity in end groups will enhanced intramolecular charge transportation and electron delocalization. Thus, fluorinated **BDS_e-FBr** present a most large maximum in solution.

However, the maximum absorption of **BDS_e-FBr** in film is smaller than other acceptors based on BDS_e core and halogenated end groups, as in **Table 1**. It indicates that acceptor with hybrid bromination and fluorination end-group achieves a less π - π packing and crystallinity. Because fluorine atoms have less number of electrons and atomic orbitals. Small crystallinity is beneficial to reduce charge recombination. This result suggests that **BDS_e-FBr** have a strong absorption ability and appropriate crystallization tendency.

4 Conclusion

In conclusion, we first designed and synthesized a novel nonfullerene small molecule acceptor material **BDS_e-FBr**, with simultaneously fluorinated and brominated terminals. **BDS_e-FBr** displays a broad absorption range of 600–800 nm, with the maximum absorption peak in solution of 742nm. When in the thin film, **BDS_e-FBr** present obvious red-shift in the absorption range of 700–900 nm, and maximum absorption shows the same tendency. In addition, the optical band gap of **BDS_e-FBr** is 1.40 eV which was calculated from film edge absorption. These strong absorption abilities are due to that bromine atom has more electrons and larger size, and fluorine atom enhanced intermolecular π - π packing. And the multiple interactions between heteroatom also is beneficial to improve charge transportation and crystallinity. This new A-D-A type small molecules with simultaneously fluorinated and brominated end-group provide an effective strategy to improve photovoltaic performance of acceptor, and this modification exhibits great future prospects for application in high performance OSCs.

Table 1. The optical properties of acceptors with BDS_e core.

Acceptor	$\lambda_{\max}^{\text{sol.}}$ [nm]	$\lambda_{\max}^{\text{film}}$ [nm]	$\lambda_{\text{onset}}^{\text{film}}$ [nm]	E_g^{opt} [eV]	Reference
BDS_e-FBr	741	774	886	1.40	this work
BDS_eIC	710	746	816	1.51	[14]
BDS_eIC2Br	726	790	876	1.41	[15]
BDS_e-2(BrCl)	736	793	890	1.39	[15]

Acknowledgments

The authors thank Analysis & Testing Center (BIT) for NMR experiments.

References

1. L. Duan, A. Uddin, *Adv. Sci.*, **7**, 1903259 (2020).
2. K. Fukuda, K. Yu and T. Someya, *Adv. Energy Mater.*, **10**, 2000765 (2020).
3. D. Li, L. Zhu, X. Liu, W. Xiao, J. Yang, R. Ma, L. Ding, F. Liu, C. Duan, M. Fahlman, Q. Bao, *Adv. Mater.*, **32**, 2002344 (2020).
4. D. Wang, R. Qin, G. Zhou, X. Li, R. Xia, Y. Li, L. Zhan, H. Zhu, X. Lu, H. L. Yip, H. Chen, C. Z. Li, *Adv. Mater.*, **32**, 2001621 (2020).
5. Y. Xie, Y. Cai, L. Zhu, R. Xia, L. Ye, X. Feng, H. L. Yip, F. Liu, G. Lu, S. Tan, Y. Sun, *Adv. Funct. Mater.*, **30**, 2002181 (2020).
6. D. Li, X. Zhang, D. Liu, T. Wang, *J. Mater. Chem. A*, **8**, 15607-15619 (2020).
7. S. Li, C.Z. Li, M. Shi, H. Chen, *ACS Energy Lett.*, **5**, 1554-1567 (2020).
8. C. Zhan, X. Zhang and J. Yao, *RSC Adv.*, **5**, 93002-93026 (2015).
9. J. Zhao, C. Yao, M.U. Ali, J. Miao, H. Meng, *Mater. Chem. Front.*, **4**, 3487-3504 (2020).
10. Y. Chang, T.K. Lau, P. C. Y. Chow, N. Wu, D. Su, W. Zhang, H. Meng, C. Ma, T. Liu, K. Li, X. Zou, K.S. Wong, X. Lu, H. Yan, C. Zhan, *J. Mater. Chem. A*, **8**, 3676-3685 (2020).
11. Y. Cui, H. Yao, J. Zhang, T. Zhang, Y. Wang, L. Hong, K. Xian, B. Xu, S. Zhang, J. Peng, Z. Wei, F. Gao, J. Hou, *Nat. Commun.*, **10**, 2515 (2019).
12. K. Li, Y. Wu, X. Li, H. Fu and C. Zhan, *Sci. China. Chem.*, **63**, 490-496 (2020).
13. Q. Liu, Y. Jiang, K. Jin, J. Qin, J. Xu, W. Li, J. Xiong, J. Liu, Z. Xiao, K. Sun, S. Yang, X. Zhang, L. Ding, *Sci. Bull.*, **65**, 272-275 (2020).
14. S.S. Wan, X. Xu, J.L. Wang, G.Z. Yuan, Z. Jiang, G.Y. Ge, H.-R. Bai, Z. Li, Q. Peng, *J. Mater. Chem. A*, **7**, 11802-11813 (2019).
15. S.S. Wan, X. Xu, Z. Jiang, J. Yuan, A. Mahmood, G.Z. Yuan, K.K. Liu, W. Ma, Q. Peng, J.L. Wang, *J. Mater. Chem. A*, **8**, 4856-4867 (2020).
16. S. Dey, *Small*, **15**, e1900134 (2019).
17. F. Yang, C. Li, W. Lai, A. Zhang, H. Huang, W. Li, *Mater. Chem. Front.*, **1**, 1389-1395 (2017).
18. S. Dai, F. Zhao, Q. Zhang, T. K. Lau, T. Li, K. Liu, Q. Ling, C. Wang, X. Lu, W. You, X. Zhan, *J. Am. Chem. Soc.*, **139**, 1336-1343 (2017).
19. S. Li, L. Zhan, Y. Jin, G. Zhou, T. K. Lau, R. Qin, M. Shi, C. Z. Li, H. Zhu, X. Lu, F. Zhang, H. Chen, *Adv. Mater.*, **32**, 2001160 (2020).
20. S.M. Swick, J.M. Alzola, V.K. Sangwan, S.H. Amsterdam, W. Zhu, L.O. Jones, N. Powers-Riggs, A. Facchetti, K.L. Kohlstedt, G.C. Schatz, M.C. Hersam, M.R. Wasielewski, T.J. Marks, *Adv. Energy Mater.*, **10**, 2000635 (2020).
21. H. Wang, T. Liu, J. Zhou, D. Mo, L. Han, H. Lai, H. Chen, N. Zheng, Y. Zhu, Z. Xie, F. He, *Adv. Sci.*, **7**, 1903784 (2020).
22. F. Peng, K. An, W. Zhong, Z. Li, L. Ying, N. Li, Z. Huang, C. Zhu, B. Fan, F. Huang, Y. Cao, *ACS Energy Lett.*, **5**, 3702-3707 (2020).